

Following is a complete list of papers ( $N=443$ ) (published between 1965 and February 2015) representing the results described in the study by Maple et al (2017). A *Systematic Mapping of Suicide Bereavement and Postvention Research and a Proposed Strategic Research Agenda*, as published in *Crisis*, <https://doi.org/10.1027/0227-5910/a000498>

- Abbott, C. H., & Zakriski, A. L. (2014). Grief and attitudes toward suicide in peers affected by a cluster of suicides as adolescents. *Suicide and Life-Threatening Behavior*, 44(6), 668-681. <https://doi.org/10.1111/sltb.12100>
- Abel, K. M., Heuvelman, H. P., Jørgensen, L., Magnusson, C., Wicks, S., Susser, E., . . . Dalman, C. (2014). Severe bereavement stress during the prenatal and childhood periods and risk of psychosis in later life: Population based cohort study. *BMJ*, 348(7942), 13-13. <https://doi.org/10.1136/bmj.f7679>
- Agerbo, E. (2003). Risk of suicide and spouse's psychiatric illness or suicide: Nested case-control study. *BMJ*, 327(7422), 1025-6.
- Agerbo, E., Nordentoft, M., & Mortensen, P. B. (2002). Familial, psychiatric, and socioeconomic risk factors for suicide in young people: Nested case-control study. *BMJ*, 325(7355), 74.
- Alexander, D. A., Klein, S., Gray, N. M., Dewar, I. G., & Eagles, J. M. (2000). Suicide by patients: Questionnaire study of its effect on consultant psychiatrists. *BMJ*, 320(7249), 1571-1574.
- Allen, B. G., Calhoun, L. G., Cann, A., & Tedeschi, R. G. (1993). The effect of cause of death on responses to the bereaved: Suicide compared to accident and natural causes. *Omega*, 28(1), 39-48.
- Allman, C., Balach, L., Brent, D. A., Canobbio, R., Liotus, L., Moritz, G., . . . Schweers, J. (1993). Psychiatric sequelae to the loss of an adolescent peer to suicide. *Journal of the American Academy of Child and Adolescent Psychiatry*, 32(3), 509-17.
- Allman, C., Balach, L., Brent, D. A., Friend, A., Harrington, K., Moritz, G., . . . Schweers, J. (1992). Psychiatric effects of exposure to suicide among the friends and acquaintances of adolescent suicide victims. *Journal of the American Academy of Child and Adolescent Psychiatry*, 31(4), 629-39.
- Allman, C., Boylan, M. B., Brent, D. A., Roth, C., Friend, A., McQuiston, L., . . . Schweers, J. (1993). Adolescent witnesses to a peer suicide. *Journal of the American Academy of Child and Adolescent Psychiatry*, 32(6), 1184-8.
- Andress, V. R., & Corey, D. M. (1978). Survivor-victims: Who discovers or witnesses suicide? *Psychological Reports*, 42(3), 759-764.
- Angerstein, G., Linfield-Spindler, S., & Payne, L. (1991). Evaluation of an urban school adolescent suicide program. *School Psychology International*, 12(1-2), 25-48. <https://doi.org/10.1177/0143034391121004>
- Avrami, S. (2002). "I wish he had died in the war": Suicide survivors -- the Israeli case. *Omega*, 46(4), 273-286.
- Baddeley, J. L., Williams, J. L., Rynearson, T., Correa, F., Saindon, C., & Rheingold, A. A. (2014). Death thoughts and images in treatment-seekers after violent loss. *Death Studies*, 39(2), 84-91. <https://doi.org/10.1080/07481187.2014.893274>

- Bailey, L., Bell, J., & Kennedy, D. (2014). Continuing social presence of the dead: Exploring suicide bereavement through online memorialisation. *New Review of Hypermedia and Multimedia*, 21, 1-15. <https://doi.org/10.1080/13614568.2014.983554>
- Bailley, S., Kral, M. J., & Dunham, K. (1999). Survivors of suicide do grieve differently: Empirical support for a common sense proposition. *Suicide and Life-Threatening Behavior*, 29(3), 256-271.
- Bailley, S. E., Dunham, K., & Kral, M. J. (2000). Factor structure of the Grief Experience Questionnaire (GEQ). *Death Studies*, 24(8), 721-738.
- Barlow, C. A., Chugh, U., Hides, E., Leith, J., Rawlinson, D., & Schiff, J. W. (2010). An evaluation of a suicide bereavement peer support program. *Death Studies*, 34(10), 915-30.
- Barnes, D. H. (2006). The aftermath of suicide among African Americans. *Journal of Black Psychology*, 32(3), 335-348.
- Barrett, T. W., & Scott, T. B. (1990). Suicide bereavement and recovery patterns compared with nonsuicide bereavement patterns. *Suicide and Life-Threatening Behavior*, 20(1), 1-15.
- Bartik, W., Maple, M., Edwards, H., & Kiernan, M. (2013). Adolescent survivors after suicide: Australian young people's bereavement narratives. *Crisis*, 34(3), 211-217. <https://doi.org/10.1027/0227-5910/a000185>
- Bartik, W., Maple, M., Edwards, H., & Kiernan, M. (2013). The psychological impact of losing a friend to suicide. *Australasian Psychiatry*, 21(6), 545-549. <https://doi.org/10.1177/1039856213497986>
- Battle, A. O. (1984). Group therapy for survivors of suicide. *Crisis*, 5(1), 45-58.
- Bearman, P. S., & Moody, J. (2004). Suicide and friendships among American adolescents. *American Journal of Public Health*, 94(1), 89-95.
- Begley, M., & Quayle, E. (2007). The lived experience of adults bereaved by suicide: A phenomenological study. *Crisis*, 28(1), 26-34. <https://doi.org/10.1027/0227-5910.28.1.26>
- Bell, J., Stanley, N., Mallon, S., & Manthorpe, J. (2012). Life will never be the same again: Examining grief in survivors bereaved by young suicide. *Illness, Crisis & Loss*, 20(1), 49-68. <https://doi.org/10.2190/IL.20.1.e>
- Berman, A. L. (2011). Estimating the population of survivors of suicide: Seeking an evidence base. *Suicide and Life-Threatening Behavior*, 41(1), 110-116. <https://doi.org/10.1111/j.1943-278X.2010.00009.x>
- Beskow, J., Runeson, B., & Asgard, U. (1991). Ethical aspects of psychological autopsy. *Acta Psychiatrica Scandinavica*, 84(5), 482-487.
- Bhoomikumar, J., & Kullgren, G. (2010). High exposure to suicide, a risk factor among university students in Cambodia. *Journal of Indian Association for Child & Adolescent Mental Health*, 6(4), 84-100.
- Bhushan, B., Kumar, S., & Harizuka, S. (2011). Bereavement, cognitive-emotional processing, and coping with the loss: A study of Indian and Japanese students. *Journal of Social Work in End-Of-Life & Palliative Care*, 7(2/3), 263-280. <https://doi.org/10.1080/15524256.2011.593160>
- Biddle, L. (2003). Public hazards or private tragedies? An exploratory study of the effect of coroners' procedures on those bereaved by suicide. *Social Science & Medicine*, 56(5), 1033. [https://doi.org/10.1016/S0277-9536\(02\)00097-7](https://doi.org/10.1016/S0277-9536(02)00097-7)

- Birmaher, B., Brent, D. A., Bridge, J. A., Day, N. L., Day, R., & Richardson, G. A. (2003). Major depressive disorder in adolescents exposed to a friend's suicide. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(11), 1294-300.
- Boelen, P. A., & Prigerson, H. G. (2007). The influence of symptoms of prolonged grief disorder, depression, and anxiety on quality of life among bereaved adults. *European Archives of Psychiatry & Clinical Neuroscience*, 257(8), 444-452.  
<https://doi.org/10.1007/s00406-007-0744-0>
- Bolton, J. M., Au, W., Leslie, W. D., Martens, P. J., Enns, M. W., Roos, L. L., . . . Sareen, J. (2013). Parents bereaved by offspring suicide: A population-based longitudinal case-control study. *JAMA Psychiatry*, 70(2), 158-167.  
<https://doi.org/10.1001/jamapsychiatry.2013.275>
- Borowsky, I. W., Resnick, M. D., Ireland, M., & Blum, R. W. (1999). Suicide attempts among American Indian and Alaska native youth: Risk and protective factors. *Archives of Pediatrics & Adolescent Medicine*, 153(6), 573-580.
- Bowden, C. (2011). Waves: A psycho-educational programme for adults bereaved by suicide. *Bereavement Care*, 30(3), 25-31.
- Braiden, H. J., McCann, M., Barry, H., & Lindsay, C. (2009). Piloting a therapeutic residential for children, young people and families bereaved through suicide in Northern Ireland. *Child Care in Practice*, 15(2), 81-93. <https://doi.org/10.1080/13575270802685344>
- Brent, D., Donohoe, M. B., Melham, N., & Walker, M. (2009). The incidence and course of depression in bereaved youth 21 months after the loss of a parent to suicide, accident, or sudden natural death. *American Journal of Psychiatry*, 166(7), 786-94.
- Brent, D. A., Bridge, J., Canobbio, R., Moritz, G., & Perper, J. (1996). The impact of adolescent suicide on siblings and parents: A longitudinal follow-up. *Suicide and Life-Threatening Behavior*, 26(3), 253-9.
- Brent, D. A., Bridge, J., Johnson, B. A., & Connolly, J. (1996). Suicidal behavior runs in families: A controlled family study of adolescent suicide victims. *Archives of General Psychiatry*, 53(12), 1145-1152.
- Brent, D. A., Kerr, M. M., Goldstein, C., Bozigar, J., Wartella, M., & Allan, M. J. (1989). An outbreak of suicide and suicidal behavior in a high school. *Journal of the American Academy of Child & Adolescent Psychiatry*, 28(6), 918-924.  
<https://doi.org/10.1097/00004583-198911000-00017>
- Brent, D. A., Moritz, G., Bridge, J., Perper, J., & Canobbio, R. (1996). Long-term impact of exposure to suicide: A three-year controlled follow-up. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35(5), 646-53.
- Brent, D. A., Perper, J., Moritz, G., Allman, C., Liotus, L., Schweers, J., . . . Canobbio, R. (1993). Bereavement or depression? The impact of the loss of a friend to suicide. *Journal of the American Academy of Child and Adolescent Psychiatry*, 32(6), 1189-1197.
- Brent, D. A., Perper, J. A., Moritz, G., Liotus, L., Richardson, D., Canobbio, R., . . . Roth, C. (1995). Posttraumatic stress disorder in peers of adolescent suicide victims: Predisposing factors and phenomenology. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(2), 209-215.
- Brent, D. A., Perper, J. A., Moritz, G., Liotus, L., Schweers, J., & Canobbio, R. (1994). Major depression or uncomplicated bereavement? A follow-up of youth exposed to suicide. *Journal of the American Academy of Child and Adolescent Psychiatry*, 33(2), 231-9.

- Brent, D. A., Perper, J. A., Moritz, G., Liotus, L., Schweers, J., Roth, C., . . . Allman, C. (1993). Psychiatric impact of the loss of an adolescent sibling to suicide. *Journal of Affective Disorders*, 28(4), 249-256. [http://dx.doi.org/10.1016/0165-0327\(93\)90060-W](http://dx.doi.org/10.1016/0165-0327(93)90060-W)
- Brown, A., Sandier, I. N., Jenn-Yun, T., Liu, X., & Haine, R. A. (2007). Implications of parental suicide and violent death for promotion of resilience of parentally-bereaved children. *Death Studies*, 31(4), 301-35.
- Bryan, C. J., Dhillon-Davis, L. E., & Dhillon-Davis, K. K. (2009). Emotional impact of a video-based suicide prevention program on suicidal viewers and suicide survivors. *Suicide and Life-Threatening Behavior*, 39(6), 623-632. <http://dx.doi.org/10.1521/suli.2009.39.6.623>
- Burke, L. A., & Neimeyer, R. A. (2013). Complicated spiritual grief I: Relation to complicated grief symptomatology following violent death bereavement. *Death Studies*, 38(4), 259-267. <http://dx.doi.org/10.1080/07481187.2013.829372>
- Cain, A. C. (2006). Parent Suicide: Pathways of effects into the third generation. *Psychiatry*, 69(3), 204-227.
- Cain, A. C., & Fast, I. (1966). The legacy of suicide. Observations on the pathogenic impact of suicide upon marital partners. *Psychiatry*, 29(4), 406-411.
- Calhoun, L. G., & Allen, B. G. (1993). The suicidal death of a child - social perception of stepparents. *Omega*, 26(4), 301-307.
- Calhoun, L. G., Selby, J. W., & Abernathy, C. B. (1984). Suicidal death: Social reactions to bereaved survivors. *The Journal of Psychology*, 116(2d Half), 255-261.
- Callahan, J. (2000). Predictors and correlates of bereavement in suicide support group participants. *Suicide and Life-Threatening Behavior*, 30(2), 104-24
- Campbell, F. R., & Cerel, J. (2008). Suicide survivors seeking mental health services: A preliminary examination of the role of an active postvention model. *Suicide and Life-Threatening Behavior*, 38(1), 30-4
- Carter, B. F., & Brooks, A. (1990). Suicide postvention: Crisis or opportunity? *The School Counselor*, 37(5), 378-390.
- Castelli Dransart, D. A. (2013). From sense-making to meaning-making: Understanding and supporting survivors of suicide. *British Journal of Social Work*, 43(2), 317-335.
- Castelli Dransart, D. A. G., E., Gulfi, A., Didisheim, N. K., & Seguin, M. (2014). Patient suicide in institutions: Emotional responses and traumatic impact on Swiss mental health professionals. *Death studies*, 38(1-5), 315-321.  
<http://dx.doi.org/10.1080/07481187.2013.766651>
- Ceglia, L., & Pfeffer, C. R. (1999). Artists' representations of the impact of family suicide during childhood and adolescence. *Journal of the American Academy of Psychoanalysis*, 27(4), 625-656.
- Cerel, J., Bolin, M. C., & Moore, M. M. (2013). Suicide exposure, awareness and attitudes in college students. *Advances in Mental Health*, 12(1), 46-53.  
<http://dx.doi.org/10.5172/jamh.2013.12.1.46>
- Cerel, J., & Fristad, M. A. (1999). Suicide-bereaved children and adolescents: A controlled longitudinal examination. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38(6), 672.
- Cerel, J., Fristad, M. A., Verducci, J., Weller, R. A., & Weller, E. B. (2006). Childhood bereavement: Psychopathology in the 2 years postparental death. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(6), 681-690.  
<http://dx.doi.org/10.1097/01.chi.0000215327.58799.05>

- Cerel, J., Fristad, M. A., Weller, E. B., & Weller, R. A. (2000). Suicide-bereaved children and adolescents: II. Parental and family functioning. *Journal of the American Academy of Child and Adolescent Psychiatry*, 39(4), 437.
- Cerel, J., Maple, M., Aldrich, R., & van de Venne, J. (2013). Exposure to suicide and identification as survivor: Results from a random-digit dial survey. *Crisis*, 34(6), 413-419. <http://dx.doi.org/10.1027/0227-5910/a000220>
- Cerel, J., Padgett, J. H., & Reed, G. A. (2009). Support groups for suicide survivors: Results of a survey of group leaders. *Suicide and Life-Threatening Behavior*, 39(6), 588-598. <http://dx.doi.org/10.1521/suli.2009.39.6.588>
- Cerel, J., & Roberts, T. A. (2005). Suicidal behavior in the family and adolescent risk behavior. *Journal of Adolescent Health*, 36(4), 352.e359-316.
- Cerel, J., Roberts, T. A., & Nilsen, W. J. (2005). Peer suicidal behavior and adolescent risk behavior. *Journal of Nervous & Mental Disease*, 193(4), 237-243.
- Chapple, A., & Ziebland, S. (2010). Viewing the body after bereavement due to a traumatic death: qualitative study in the UK. *BMJ*, 340. <http://dx.doi.org/10.1136/bmj.c2032>
- Chapple, A., & Ziebland, S. (2011). How the Internet is changing the experience of bereavement by suicide: A qualitative study in the UK. *Health: An Interdisciplinary Journal for the Social Study of Health, Illness & Medicine*, 15(2), 173-187. <http://dx.doi.org/10.1177/1363459309360792>
- Chapple, A., Ziebland, S., & Hawton, K. (2012). A proper, fitting explanation? : Suicide bereavement and perceptions of the coroner's verdict. *Crisis*, 33(4), 230-238. <http://dx.doi.org/10.1027/0227-5910/a000139>
- Chapple, A., Ziebland, S., & Hawton, K. (2015). Taboo and the different death? Perceptions of those bereaved by suicide or other traumatic death. *Sociology of Health & Illness*, 37(4), 610-625. <http://dx.doi.org/10.1111/1467-9566.12224>
- Chapple, A., Ziebland, S., Simkin, S., & Hawton, K. (2013). How people bereaved by suicide perceive newspaper reporting: Qualitative study. *The British Journal of Psychiatry*, 203(3), 228-232. <http://dx.doi.org/10.1192/bjp.bp.112.114116>
- Chen, J., Choi, Y., Mori, K., Sawada, Y., & Sugano, S. (2009). Those who are left behind: An estimate of the number of family members of suicide victims in Japan. *Social Indicators Research*, 94(3), 535-544. <http://dx.doi.org/10.1007/s11205-009-9448-3>
- Cheng, A. T., Chen, T., Chen, C., & Jenkins, R. (2000). Psychosocial and psychiatric risk factors for suicide. *The British Journal of Psychiatry*, 177(4), 360-365.
- Cheng, A. T., Hawton, K., Chen, T. H., Yen, A. M., Chen, C. Y., Chen, L. C., & Teng, P. R. (2007). The influence of media coverage of a celebrity suicide on subsequent suicide attempts. *Journal of Clinical Psychology*, 68(6), 862-866.
- Cheng, A. T., Hawton, K., Lee, C. T., & Chen, T. H. (2007). The influence of media reporting of the suicide of a celebrity on suicide rates: A population-based study. *International Journal of Epidemiology*, 36(6), 1229-1234. <http://dx.doi.org/10.1093/ije/dym196>
- Cheng, C. C. J., Yen, W. J., Chang, W. T., Wu, K. C. C., Ko, M. C., & Li, C. Y. (2014). Risk of adolescent offspring's completed suicide increases with prior history of their same-sex parents' death by suicide. *Psychological Medicine*, 44(9), 1845-1854. <http://dx.doi.org/10.1017/S0033291713002298>
- Cheung, Y. T. D., Spittal, M. J., Williamson, M. K., Tung, S. J., & Pirkis, J. (2013). Application of scan statistics to detect suicide clusters in Australia. *PLoS ONE*, 8(1). <http://dx.doi.org/10.1371/journal.pone.0054168>

- Christiansen, E., Goldney, R. D., Beautrai, A. L., & Agerbo, E. (2011). Youth suicide attempts and the dose-response relationship to parental risk factors: A population-based study. *Psychological Medicine, 41*(2), 313-319. <http://dx.doi.org/10.1017/S0033291710000747>
- Christianson, C. L., & Everall, R. D. (2008). Constructing bridges of support: School counsellors' experiences of student suicide. *Canadian Journal of Counselling, 42*(3), 209-221.
- Christianson, C. L., & Everall, R. D. (2009). Breaking the silence: School counsellors' experiences of client suicide. *British Journal of Guidance & Counselling, 37*(2), 157-168.
- Clark, J. (2014). Engaging in ritual after client suicide: The critical importance of linking objects for therapists. *Bereavement Care, 33*(2), 70-76.  
<http://dx.doi.org/10.1080/02682621.2014.933574>
- Clark, S. E., & Goldney, R. D. (1995). Grief reactions and recovery in a support group for people bereaved by suicide. *Crisis, 16*(1), 27-33.
- Clarke, C. S., & Wrigley, M. (2004). Suicide-related bereavement and psychiatric morbidity in the elderly. *Irish Journal of Psychological Medicine, 21*(1), 22-24.
- Clarke, M. C., Tanskanen, A., Huttunen, M. O., & Cannon, M. (2013). Sudden death of father or sibling in early childhood increases risk for psychotic disorder. *Schizophrenia Research, 143*(2/3), 363-366. <http://dx.doi.org/10.1016/j.schres.2012.11.024>
- Cleiren, M., Diekstra, R. F., Kerkhof, A. J., & van der Wal, J. (1994). Mode of death and kinship in bereavement: Focusing on "who" rather than "how". *Crisis, 15*(1), 22-36.
- Comans, T., Visser, V., & Scuffham, P. (2013). Cost effectiveness of a community-based crisis intervention program for people bereaved by suicide. *Crisis, 34*(6), 390-397.  
<http://dx.doi.org/10.1027/0227-5910/a000210>
- Constantino, R. E., & Bricker, P. L. (1996). Nursing postvention for spousal survivors of suicide. *Issues in Mental Health Nursing, 17*(2), 131-152.
- Constantino, R. E., Rohay, J., & Sutton, L. B. (1997). Assessing abuse in female suicide survivors. *Holistic Nursing Practice, 11*(2), 60-8.
- Constantino, R. E., Rubinstein, E. N., & Sekula, L. K. (2001). Group intervention for widowed survivors of suicide. *Suicide and Life-Threatening Behavior, 31*(4), 428-41.
- Constantino, R. E., Sekula, L. K., Lebish, J., & Buehner, E. (2002). Depression and behavioral manifestation of depression in female survivors of the suicide of their significant other and female survivors of abuse. *Journal of the American Psychiatric Nurses Association, 8*(1), 27-32.
- Cox, L. (2010). Queensland aborigines, multiple realities and the social sources of suffering: Part 2 suicide, spirits and symbolism. *Oceania, 80*(3), 97-120.
- Crenshaw, M. (2015). Attitudes of African American clergy regarding the postvention needs of African American suicide survivors. *Pastoral Psychology, 64*(2), 169-183.  
<http://dx.doi.org/10.1007/s11089-013-0581-1>
- Crosby, A. E., & Sacks, J. (2002). Exposure to suicide: Incidence and association with suicidal ideation and behavior: United States, 1994. *Suicide and Life-Threatening Behavior, 32*(3), 321-328.
- Currier, J. M., Holland, J. M., & Neimeyer, R. A. (2006). Sense-making, grief, and the experience of violent loss: Toward a mediational model. *Death Studies, 30*(5), 403-428.
- Daigle, M. S., & Labelle, R. J. (2012). Pilot evaluation of a group therapy program for children bereaved by suicide. *Crisis, 33*(6), 350-357. <http://dx.doi.org/10.1027/0227-5910/a000147>

- Damore, J. P., Gallo, C., Ice, A., Jiang, H., Karpenos, I., Mann, J., . . . Sunkenberg, M. (1997). Child survivors of suicide: Psychosocial characteristics. *Journal of the American Academy of Child and Adolescent Psychiatry*, 36, 65-74.
- Darden, A. J., & Rutter, P. A. (2011). Psychologists' experiences of grief after client suicide: A qualitative study. *Omega*, 63(4), 317-342. <http://dx.doi.org/10.2190/OM.63.4.b>
- Davidsen, A. S. (2011). And then one day he'd shot himself. Then I was really shocked: General practitioners' reaction to patient suicide. *Patient Education & Counseling*, 85(1), 113-118.
- Davidson, L. E., Franklin, J., Mercy, J. A., Rosenberg, M. L., & Simmons, J. T. (1989). An epidemiologic study of risk factors in two teenage suicide clusters. *JAMA*, 262(19), 2687-92.
- de Groot, H. M., de Keijser, J., & Neeleman, J. (2006). Grief shortly after suicide and natural death: A comparative study among spouses and first-degree relatives. *Suicide and Life-Threatening Behavior*, 36(4), 418-431.
- de Groot, M., de Keijser, J., Neeleman, J., Kerkhof, A., & Nolen, W. (2007). Cognitive behaviour therapy to prevent complicated grief among relatives and spouses bereaved by suicide: cluster randomised controlled trial. *BMJ*, 334(7601), 994-996.
- de Groot, M., & Kollen, B. J. (2012). Course of bereavement over 8-10 years in first degree relatives and spouses of people who committed suicide: Longitudinal community based cohort study. *BMJ*, 347, f5519-f5519.
- de Groot, M., Neeleman, J., van der Meer, K., & Burger, H. (2010). The effectiveness of family-based cognitive-behavior grief therapy to prevent complicated grief in relatives of suicide victims: The mediating role of suicide ideation. *Suicide and Life-Threatening Behavior*, 40(5), 425-437. <http://dx.doi.org/10.1521/suli.2010.40.5.425>
- de Groot, M., van der Meer, K., & Burger, H. (2009). A survey of Dutch GPs' attitudes towards help seeking and follow-up care for relatives bereaved by suicide. *Family Practice*, 26(5), 372-376. <http://dx.doi.org/10.1093/fampra/cmp046>
- de Leo, D., & Heller, T. (2008). Social modeling in the transmission of suicidality. *Crisis*, 29(1), 11-19. <http://dx.doi.org/10.1027/0227-5910.29.1.11>
- Debski, J., Spadafore, C. D., Jacob, S., Poole, D. A., & Hixson, M. D. (2007). Suicide intervention: Training, roles, and knowledge of school psychologists. *Psychology in the Schools*, 44(2), 157-170.
- Demi, A. S. (1984). Social adjustment of widows after a sudden death: Suicide and non-suicide survivors compared. *Death Education*, 8, 91-111.
- Demi, A. S., & Howell, C. (1991). Hiding and healing: Resolving the suicide of a parent or sibling. *Archives of Psychiatric Nursing*, 5(6), 350-356.
- Demi, A. S., & Miles, M. S. (1988). Suicide bereaved parents: Emotional distress and physical health problems. *Death Studies*, 12(4), 297-307. <http://dx.doi.org/10.1080/07481188808252246>
- Dietz, L. J., Stoyak, S., Melhem, N., Porta, G., Matthews, K. A., Walker Payne, M., & Brent, D. A. (2013). Cortisol response to social stress in parentally bereaved youth. *Biological Psychiatry*, 73(4), 379-387. <http://dx.doi.org/10.1016/j.biopsych.2012.08.016>
- Dongen, C. J. (1993). Social context of postsuicide bereavement. *Death Studies*, 17(2), 125-141. <http://dx.doi.org/10.1080/07481189308252610>
- Dunlop, S. M., More, E., & Romer, D. (2011). Where do youth learn about suicides on the Internet, and what influence does this have on suicidal ideation? *Journal of Child*

- Psychology and Psychiatry, and Allied Disciplines*, 52(10), 1073-1080.  
<http://dx.doi.org/10.1111/j.1469-7610.2011.02416.x>
- Dunn, R. G., & Morrish-Vidners, D. (1987). The psychological and social experience of suicide survivors. *Omega*, 18(3), 175-215.
- Dyregrov, K. (2002). Assistance from local authorities versus survivors' needs for support after suicide. *Death Studies*, 26(8), 647-668.
- Dyregrov, K. (2004). Bereaved parents' experience of research participation. *Social Science & Medicine*, 58(2), 391-400.
- Dyregrov, K. (2004). Micro-sociological analysis of social support following traumatic bereavement: Unhelpful and avoidant responses from the community. *Omega*, 48(1), 23-44.
- Dyregrov, K. (2005). Experiences of social networks supporting traumatically bereaved. *Omega*, 52(4), 339-358.
- Dyregrov, K. (2009). How do the young suicide survivors wish to be met by psychologists? A user study. *Omega*, 59(3), 221-238. <http://dx.doi.org/10.2190/OM.59.3.c>
- Dyregrov, K. (2009). The important role of the school following suicide in Norway. What support do young people wish that school could provide? *Omega*, 59(2), 147-161. <http://dx.doi.org/10.2190/OM.59.2.d>
- Dyregrov, K., Berntsen, G., & Silviken, A. (2014). The need for and barriers to professional help - A qualitative study of the bereaved in Sámi areas. *Suicidology Online*, 5(1), 47-58.
- Dyregrov, K., Dieserud, G., Straiton, M., Rasmussen, M., Hjelmeland, H., Knizek, B., & Leenaars, A. (2010). Motivation for research participation among people bereaved by suicide. *Omega*, 62(2), 149-168.
- Dyregrov, K., & Dyregrov, A. (2005). Siblings after suicide--"The Forgotten Bereaved". *Suicide and Life-Threatening Behavior*, 35(6), 714-724.
- Dyregrov, K., Dyregrov, A., & Johnsen, I. (2013). Positive and negative experiences from grief group participation: A qualitative study. *Omega*, 63(1), 45-62. <http://dx.doi.org/10.2190/OM.63.1.c>
- Dyregrov, K., Nordanger, D., & Dyregrov, A. (2003). Predictors of psychosocial distress after suicide, SIDS and accidents. *Death Studies*, 27(2), 143-165.
- Dyregrov, K. M., Dieserud, G., Hjelmeland, H., Straiton, M., Rasmussen, M., Knizek, B., & Leenaars, A. A. (2011). Meaning-making through psychological autopsy interviews: The value of participating in qualitative research for those bereaved by suicide. *Death Studies*, 35(8), 685-710. <http://dx.doi.org/10.1080/07481187.2011.553310>
- Edwards, H., Maple, M., Minichiello, V., & Plummer, D. (2007). The effects of preparedness for suicide following the death of a young adult child. *Suicide and Life-Threatening Behavior*, 37(2), 127-134.
- Egger, J., Wild, V., & Wojtkowiak, J. (2012). Grief experiences and expectance of suicide. *Suicide and Life-Threatening Behavior*, 42(1), 56-66.
- Ellis, J., B., & Lane, D. (1995). How young men and women assess parents of a child suicide victim. *Social Behavior & Personality: An International Journal*, 23(1), 29.
- Ellis, T. E., Dickey Lii, T. O., & Jones, E. C. (1998). Patient suicide in psychiatry residency programs: A national survey of training and postvention practices. *Academic Psychiatry*, 22(3), 181-189.
- Ellis, T. E., & Dickey, T. O. (1998). Procedures surrounding the suicide of a trainee's patient: A national survey of psychology internships and psychiatry residency programs.

- Professional Psychology: Research and Practice*, 29(5), 492-497.  
<http://dx.doi.org/10.1037/0735-7028.29.5.492>
- Esben, A. (2005). Midlife suicide risk, partner's psychiatric illness, spouse and child bereavement by suicide or other modes of death: A gender specific study. *Journal of Epidemiology & Community Health*, 59(5), 407-412. <http://dx.doi.org/10.1136/jech.2004.024950>
- Fairman, N., T.L.P., M., Whitmore, S., Meier, E. A., & Irwin, S. A. (2014). What did I miss? A qualitative assessment of the impact of patient suicide on hospice clinical staff. *Journal of Palliative Medicine*, 17(7), 832-836. <http://dx.doi.org/10.1089/jpm.2013.0391>
- Fan, J. J., Johnson, L. C., Lohan, J., Murphy, S. A., & Wu, L. (2003). Bereaved parents' outcomes 4 to 60 months after their children's deaths by accident, suicide, or homicide: A comparative study demonstrating differences. *Death Studies*, 27(1), 39-61.
- Farberow, N. L., Gallagher, D. E., Gilewski, M. J., & Thompson, L. W. (1987). An examination of the early impact of bereavement on psychological distress in survivors of suicide. *Gerontologist*, 27(5), 592.
- Farberow, N. L., Gallagher-Thompson, D., & Gilewski, M. (1992). The role of social supports in the bereavement process of surviving spouses of suicide and natural deaths. *Suicide and Life-Threatening Behavior*, 22(1), 107-124.
- Farberow, N. L., Gallagher-Thompson, D., & Gilewski, M. T., L. (1992). Changes in grief and mental health of bereaved spouses of older suicides. *Journal of Gerontology*, 47(6), P357-366.
- Feigelman, B., & Feigelman, W. (2008). Surviving after suicide loss: The healing potential of suicide survivor support groups. *Illness, Crisis & Loss*, 16(4), 285-304.
- Feigelman, B., & Feigelman, W. (2011). Suicide survivor support groups: Comings and goings, part I. *Illness, Crisis & Loss*, 19(1), 57-71. <http://dx.doi.org/10.2190/IL.19.1.e>
- Feigelman, B., & Feigelman, W. (2011). Suicide survivor support groups: Comings and goings, Part II. *Illness, Crisis & Loss*, 19(2), 165-185. <http://dx.doi.org/10.2190/IL.19.2.e>
- Feigelman, W., & Gorman, B. S. (2008). Assessing the effects of peer suicide on youth suicide. *Suicide and Life-Threatening Behavior*, 38(2), 181-194.
- Feigelman, W., Gorman, B. S., Beal, K. C., & Jordan, J. R. (2008). Internet support groups for suicide survivors: A new mode for gaining bereavement assistance. *Omega*, 57(3), 217-243.
- Feigelman, W., Gorman, B. S., & Jordan, J. R. (2009). Stigmatization and suicide bereavement. *Death Studies*, 33(7), 591-608.
- Feigelman, W., Jordan, J. R., & Gorman, B. S. (2008). How they died, time since loss, and bereavement outcomes. *Omega*, 58(4), 251-273.
- Feigelman, W., Jordan, J. R., & Gorman, B. S. (2009). Personal growth after a suicide loss: Cross-sectional findings suggest growth after loss may be associated with better mental health among survivors. *Omega*, 59(3), 181-202.
- Feigelman, W., Jordan, J. R., & Gorman, B. S. (2011). Parental grief after a child's drug death compared to other death causes: Investigating a greatly neglected bereavement population. *Omega*, 63(4), 291-316. <http://dx.doi.org/10.2190/OM.63.4.a>
- Fendrich, M., Goldenberg, D., Grossman, J., Libby, S., & Mackesy-Amiti, M. E. (1996). Assessment of knowledge gains in proactive training for postvention. *Suicide and Life-Threatening Behavior*, 26(2), 161-74.

- Fielden, J. M. (2003). Grief as a transformative experience: Weaving through different lifeworlds after a loved one has completed suicide. *International Journal of Mental Health Nursing*, 12(1), 74-85.
- Figueroa, S., & Dalack, G. W. (2013). Exploring the impact of suicide on clinicians: A multidisciplinary retreat model. *Journal of Psychiatric Practice*, 19(1), 72-77. <http://dx.doi.org/10.1097/01.pra.0000426330.41773.15>
- Finlay, I. G., & Jones, N. K. (2000). Unresolved grief in young offenders in prison. *British Journal of General Practice*, 50(456), 569-570.
- Floyd, F. J., Mailick Seltzer, M., Greenberg, J. S., & Jieun, S. (2013). Parental bereavement during mid-to-later life: Pre- to postbereavement functioning and intrapersonal resources for coping. *Psychology & Aging*, 28(2), 402-413. <http://dx.doi.org/10.1037/a0029986>
- Foster, V. A., & McAdams, C. R. (2000). Client suicide: Its frequency and impact on counselors. *Journal of Mental Health Counseling*, 22(2), 107.
- Fu, K. W., & Yip, P. S. (2009). Estimating the risk for suicide following the suicide deaths of 3 Asian entertainment celebrities: A meta-analytic approach. *Journal of Clinical Psychology*, 70(6), 869-878.
- Gaffney, M., & Hannigan, B. (2010). Suicide bereavement and coping: A descriptive and interpretative analysis of the coping process. *Procedia - Social and Behavioral Sciences*, 5(0), 526-535. <http://dx.doi.org/10.1016/j.sbspro.2010.07.137>
- Gaffney, P., Russell, V., Collins, K., Bergin, A., Halligan, P., Carey, C., & Coyle, S. (2009). Impact of patient suicide on front-line staff in Ireland. *Death Studies*, 33(7), 639-656. <http://dx.doi.org/10.1080/07481180903011990>
- Gall, T. L., Henneberry, J., & Eyre, M. (2014). Two perspectives on the needs of individuals bereaved by suicide. *Death Studies*, 38(7), 430-437. <http://dx.doi.org/10.1080/07481187.2013.772928>
- Garssen, J., Deerenberg, I., Mackenbach, J. P., Kerkhof, A., & Kunst, A. E. (2011). Familial risk of early suicide: Variations by age and sex of children and parents. *Suicide and Life-Threatening Behavior*, 41(6), 585-593. <http://dx.doi.org/10.1111/j.1943-278X.2011.00050.x>
- Ghaziuddin, N., Gutierrez, P., & King, C. A. (1996). Adolescent attitudes about death in relation to suicidality. *Suicide and Life-Threatening Behavior*, 26(1), 8-18.
- Gibson, J., Gallagher, M., & Jenkins, M. (2010). The experiences of parents readjusting to the workplace following the death of a child by suicide. *Death Studies*, 34(6), 500-528. <http://dx.doi.org/10.1080/07481187.2010.482879>
- Goldney, R. D., Spence, N. D., & Moffitt, P. F. (1987). The aftermath of suicide: Attitudes of those bereaved by suicide, of social workers, and of a community sample. *Journal of Community Psychology*, 15(2), 141-148. [http://dx.doi.org/10.1002/1520-6629\(198704\)15:2<141::AID-JCOP2290150205>3.0.CO;2-4](http://dx.doi.org/10.1002/1520-6629(198704)15:2<141::AID-JCOP2290150205>3.0.CO;2-4)
- Goldstein, L. S., & Buongiorno, P. A. (1984). Psychotherapists as suicide survivors. *American Journal of Psychotherapy*, 38(3), 392-398.
- Goodwin, R. D., Beautrais, A. L., & Fergusson, D. M. (2004). Familial transmission of suicidal ideation and suicide attempts: Evidence from a general population sample. *Psychiatry Research*, 126(2), 159-165. <http://dx.doi.org/10.1016/j.psychres.2004.02.010>
- Goodwin-Smith, I., Hicks, N., Hawke, M., Alver, G., & Raftery, P. (2013). Living beyond Aboriginal suicide: Developing a culturally appropriate and accessible suicide

- postvention service for Aboriginal communities in South Australia. *Advances in Mental Health*, 11(3), 238-245.
- Gould, M. S., Wallenstein, S., Kleinman, M. H., O'Carroll, P., & Mercy, J. (1990). Suicide clusters: An examination of age-specific effects. *American Journal of Public Health*, 80(2), 211-212.
- Grad, O. T., & Zavasnik, A. (1996). Similarities and differences in the process of bereavement after suicide and after traffic fatalities in Slovenia. *Omega*, 33(3), 243-251.  
<http://dx.doi.org/10.2190/YU2C-ACR8-UG6V-JWCJ>
- Grad, O. T., & Zavasnik, A. (1999). Phenomenology of bereavement process after suicide, traffic accident and terminal illness (in spouses). *Archives of Suicide Research*, 5(2), 157-172.  
<http://dx.doi.org/10.1080/13811119908258325>
- Grad, O. T., Zavasnik, A., & Groleger, U. (1997). Suicide of a patient: Gender differences in bereavement reactions of therapists. *Suicide and Life-Threatening Behavior*, 27(4), 379-386.
- Grant Kalischuk, R., & Nixon, G. (2009). A transpersonal theory of healing following youth suicide. *International Journal of Mental Health and Addiction*, 7(2), 389-402.
- Groos, A. D., & Shakespeare-Finch, J. (2012). Positive experiences for participants in suicide bereavement groups: A grounded theory model. *Death Studies*, 37(1), 1-24.  
<http://dx.doi.org/10.1080/07481187.2012.687898>
- Grossman, J., Hirsch, J., Goldenberg, D., Libby, S., Fendrich, M., Mackesy-Amiti, M. E., . . . Chance, G. H. (1995). Strategies for school-based response to loss: Proactive training and postvention consultation. *Crisis*, 16(1), 18-26.
- Grossman, J. A., Clark, D. C., Gross, D., Halstead, L., & Pennington, J. (1995). Child bereavement after paternal suicide. *Journal of Child and Adolescent Psychiatric Nursing*, 8(2), 5-17.
- Gulfi, A., Castelli Dransart, D. A., Heeb, J. L., & Gutjahr, E. (2010). The impact of patient suicide on the professional reactions and practices of mental health caregivers and social workers. *Crisis*, 31(4), 202-210. <http://dx.doi.org/10.1027/0227-5910/a000027>
- Gulfi, A., Castelli Dransart, D. A., Heeb, J. L., & Gutjahr, E. (2015). The impact of patient suicide on the professional practice of Swiss psychiatrists and psychologists. *Academic Psychiatry*, 40(1), 13-22.
- Gullestrup, J., Lequertier, B., & Martin, G. (2011). MATES in Construction: Impact of a multimodal, community-based program for suicide prevention in the construction industry. *International Journal of Environmental Research and Public Health*, 8(11), 4180-4196.
- Gutierrez, P. M. (1999). Suicidality in parentally bereaved adolescents. *Death Studies*, 23(4), 359-370.
- Gutierrez, P. M., Rodriguez, P. J., & Garcia, P. (2001). Suicide risk factors for young adults: Testing a model across ethnicities. *Death Studies*, 25(4), 319-340.
- Gutierrez, P. M., & Watkins, R. L. (2003). The relationship between exposure to adolescent suicide and subsequent suicide risk. *Suicide and Life-Threatening Behavior*, 33(1), 21-32.
- Hacker, K., Collins, J., Gross-Young, L., Almeida, S., & Burke, N. (2008). Coping with youth suicide and overdose - One community's efforts to investigate, intervene, and prevent suicide contagion. *Crisis*, 29(2), 86-95. <http://dx.doi.org/10.1027/0227-5910.29.2.86>

- Hales, H., Davison, S., Misch, P., & Taylor, P. J. (2003). Young male prisoners in a young offenders' institution: Their contact with suicidal behaviour by others. *Journal of Adolescence, 26*(6), 667-685.
- Hales, H., Edmondson, A., Davison, S., Maughan, B., & Taylor, P. J. (2015). The impact of contact with suicide-related behavior in prison on young offenders. *Crisis, 36*(1), 21-30. <http://dx.doi.org/10.1027/0227-5910/a000292>
- Hales, H., Freeman, M., Edmondson, A., & Taylor, P. (2014). Witnessing suicide-related behavior in prison: A qualitative study of young male prisoners in England. *Crisis, 35*(1), 10-17. <http://dx.doi.org/10.1027/0227-5910/a000223>
- Hamaoka, D. A., Fullerton, C. S., Benedek, D. M., Gifford, R., Nam, T., & Ursano, R. J. (2007). Medical students' responses to an inpatient suicide: Opportunities for education and support. *Academic Psychiatry, 31*(5), 350-353. <http://dx.doi.org/10.1176/appi.ap.31.5.350>
- Hamdan, S., Mazariegos, D., Melhem, N. M., Porta, G., Payne, M. W., & Brent, D. A. (2012). Effect of parental bereavement on health risk behaviors in youth: A 3-year follow-up. *Archives of Pediatrics & Adolescent Medicine, 166*(3), 216-223. <http://dx.doi.org/10.1001/archpediatrics.2011.682>
- Hamdan, S., Melhem, N. M., Porta, G., Song, M. S., & Brent, D. A. (2013). Alcohol and substance abuse in parentally bereaved youth. *Journal of Clinical Psychology, 74*(8), 828-833. <http://dx.doi.org/10.4088/JCP.13m08391>
- Hannelore Wass, M. D. M., & Thornton, G. (1990). Death education and grief/suicide intervention in the public schools. *Death Studies, 14*(3), 253-268.
- Hanssens, L. (2008). Imitation and contagion contributing to suicide clustering in indigenous communities: Time-space-method cluster analysis. *Aboriginal and Islander Health Worker Journal, 32*(3), 28-35.
- Hanssens, L. (2010). 'Echo Clusters' - are they a unique phenomenon of Indigenous attempted and completed suicide? *Aboriginal and Islander Health Worker Journal, 34*(1), 17-26.
- Hanwood, D., Hawton, K., & Hope, T. (2002). The grief experiences and needs of bereaved relatives and friends of older people dying through suicide: A descriptive and case-control study. *Primary Care Companion to the Journal of Clinical Psychiatry, 4*(5), 202-203.
- Hawton, K., Haw, C., Houston, K., & Townsend, E. (2002). Family history of suicidal behaviour: Prevalence and significance in deliberate self-harm patients. *Acta Psychiatrica Scandinavica, 106*(5), 387-393.
- Hawton, K., Houston, K., Malmberg, A., & Simkin, S. (2003). Psychological autopsy interviews in suicide research: The reactions of informants. *Archives of Suicide Research, 7*(1), 73-82.
- Hawton, K., Sutton, L., Simkin, S., Walker, D. M., Stacey, G., Waters, K., & Rees, S. (2012). Evaluation of a resource for people bereaved by suicide. *Crisis, 33*(5), 254-264. <http://dx.doi.org/10.1027/0227-5910/a000145>
- Hazell, P., & Lewin, T. (1993). An evaluation of postvention following adolescent suicide. *Suicide and life-threatening behavior, 23*(2), 101-109.
- Hazell, P., & Lewin, T. (1993). Friends of adolescent suicide attempters and completers. *Journal of the American Academy of Child & Adolescent Psychiatry, 32*(1), 76-81.
- Hedström, P., Liu, K. Y., & Nordvik, M. K. (2008). Interaction domains and suicide: A population-based panel study of suicides in Stockholm, 1991–1999. *Social Forces, 87*(2), 713-740. <http://dx.doi.org/10.1353/sof.0.0130>

- Heeb, J. L., Gutjahr, E., Gulfi, A., & Castelli Dransart, D. A. (2011). Psychometric properties of the French version of the Impact of Event Scale-Revised in mental health and social professionals after a patient suicide. *Swiss Journal of Psychology*, 70(2), 105-111. <http://dx.doi.org/10.1024/1421-0185/a000044>
- Hendin, H., Ann Pollinger, H., Maltsberger, J., Szanto, K., & Rabinowicz, H. (2004). Factors contributing to therapists' distress after the suicide of a patient. *American Journal of Psychiatry*, 161(8), 1442-1446.
- Hendin, H., Lipschitz, A., Maltsberger, J. T., Ann Pollinger, H., & Wynecoop, S. (2000). Therapists' reaction to patients' suicides. *American Journal of Psychiatry*, 157(12), 2022-2027.
- Henry, M., & Greenfield, B. J. (2009). Therapeutic effects of psychological autopsies. *Crisis*, 30(1), 20-24. <http://dx.doi.org/10.1027/0227-5910.30.1.20>
- Ho, T. P., Leung, P. W., Hung, S. F., Lee, C. C., & Tang, C. P. (2000). The mental health of the peers of suicide completers and attempters. *Journal of Child Psychology & Psychiatry*, 41(3), 301-308.
- Hoffman, J., Mertler, C. A., & Wolfle, J. A. (1998). Do increasing adolescent suicide rates result in increasing prevention/postvention programs in Ohio schools? A survey. *Education*, 118(3), 426-440.
- Hoffmann, W. A., Myburgh, C., & Poggenpoel, M. (2010). The lived experiences of late-adolescent female suicide survivors: 'A part of me died'. *Health SA Gesondheid*, 15(1), 36-44. <http://dx.doi.org/10.4102/hsag.v15i1.493>
- Hollander, E. M. (2001). Cyber community in the valley of the shadow of death. *Journal of Loss and Trauma*, 6(2), 135-146. <http://dx.doi.org/10.1080/108114401753198007>
- Hopmeyer, E., & Werk, A. (1994). A comparative study of family bereavement groups... a revised version of this article was published in Groupwork, Fall 1993. *Death Studies*, 18(3), 243-256.
- Houck, J. A. (2007). A comparison of grief reactions in cancer, HIV/AIDS, and suicide bereavement. *Journal of HIV/AIDS & Social Services*, 6(3), 97-112.
- Hwang, J., Jiang, H., Kakuma, T., Metsch, M., & Pfeffer, C. R. (2002). Group intervention for children bereaved by the suicide of a relative. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41(5), 505-13.
- Irmeli Saarinen, P., Hintikka, J., Lehtonen, J., Lönnqvist, J. K., & Viinamäki, H. (2002). Mental health and social isolation among survivors ten years after a suicide in the family: A case-control study. *Archives of Suicide Research*, 6(3), 221-226. <http://dx.doi.org/10.1080/13811110214143>
- Jacobson, J. M., Power, J. R., Sanders, S., & Ting, L. (2006). Dealing with the aftermath: A qualitative analysis of mental health social workers' reactions after a client suicide. *Social Work*, 51(4), 329-41.
- Jahn, D. R., & Spencer-Thomas, S. (2014). Continuing bonds through after-death spiritual experiences in individuals bereaved by suicide. *Journal of Spirituality in Mental Health*, 16(4), 311-324. <http://dx.doi.org/10.1080/19349637.2015.957612>
- Jakobsen, I. S., & Christiansen, E. (2011). Young people's risk of suicide attempts in relation to parental death: A population-based register study. *Journal of Child Psychology & Psychiatry*, 52(2), 176-183. <http://dx.doi.org/10.1111/j.1469-7610.2010.02298.x>

- Jegannathan, B., & Kullgren, G. (2011). Gender differences in suicidal expressions and their determinants among young people in Cambodia, a post-conflict country. *BMC Psychiatry*, 11, 47. <http://dx.doi.org/10.1186/1471-244x-11-47>
- Jeglic, E. L., Sharp, I. R., Chapman, J. E., Brown, G. K., & Beck, A. T. (2005). History of family suicide behaviors and negative problem solving in multiple suicide attempters. *Archives of Suicide Research*, 9(2), 135-146.
- Jones, C. H., Hodges, M., & Slate, J. R. (1995). Parental support for death education programs in the schools. *School Counselor*, 42(5), 370-376.
- Joyce, B., & Wallbridge, H. (2003). Effects of suicidal behavior on a psychiatric unit nursing team. *Journal of Psychosocial Nursing and Mental Health Services*, 41(3), 14.
- Kalischuk, R. G., & Davies, B. (2001). A theory of healing in the aftermath of youth suicide. Implications for holistic nursing practice. *Journal of Holistic Nursing*, 19(2), 163-186.
- Kalischuk, R. G., & Hayes, V. E. (2003). Grieving, mourning, and healing following youth suicide: A focus on health and well being in families. *Omega*, 48(1), 45-67.
- Kaltreider, N. B. (1990). The impact of a medical student's suicide. *Suicide and Life-Threatening Behavior*, 20(3), 195-205.
- Kaplow, J. B., Howell, K. H., & Layne, C. M. (2014). Do circumstances of the death matter? Identifying socioenvironmental risks for grief-related psychopathology in bereaved youth. *Journal of Traumatic Stress*, 27(1), 42-49. <http://dx.doi.org/10.1002/jts.21877>
- Kessing, L. V., Agerbo, E., & Mortensen, P. B. (2003). Does the impact of major stressful life events on the risk of developing depression change throughout life? *Psychological Medicine*, 33(7), 1177-1184. <http://dx.doi.org/10.1017/s0033291703007852>
- Kim, C. D., Seguin, M., Therrien, N., Riopel, G., Chawky, N., Lesage, A. D., & Turecki, G. (2005). Familial aggregation of suicidal behavior: A family study of male suicide completers from the general population. *American Journal of Psychiatry*, 162(5), 1017-1019. <http://dx.doi.org/10.1176/appi.ajp.162.5.1017>
- King, C. A., Franzese, R., Gargan, S., McGovern, L., Ghaziuddin, N., & Naylor, M. W. (1995). Suicide contagion among adolescents during acute psychiatric hospitalization. *Psychiatric Services*, 46(9), 915-918.
- Kitson, G. C. (2000). Adjustment to violent and natural deaths in later and earlier life for black and white widows. *The Journals of Gerontology. Series B, Psychological sciences and social sciences*, 55(6), S341-351.
- Kizza, D., Hjelmeland, H., Kinyanda, E., & Knizek, B. L. (2011). Qualitative psychological autopsy interviews on suicide in post-conflict northern Uganda: The participants' perceptions. *Omega*, 63(3), 235.
- Knox, S., Burkard, A. W., Jackson, J. A., Schaack, A. M., & Hess, S. A. (2006). Therapists-in-training who experience a client suicide: Implications for supervision. *Professional Psychology: Research and Practice*, 37(5), 547-557. <http://dx.doi.org/10.1037/0735-7028.37.5.547>
- Kovac, S. H., & Range, L. M. (2000). Writing projects: Lessening undergraduates' unique suicidal bereavement. *Suicide and Life-Threatening Behavior*, 30(1), 50-60.
- Kovarsky, R. S. (1989). Loneliness and disturbed grief: A comparison of parents who lost a child to suicide or accidental death. *Archives of Psychiatric Nursing*, 3(2), 86-96.
- Kramer, J., Boon, B., Schotanus-Dijkstra, M., van Ballegooijen, W., Kerkhof, A., & van der Poel, A. (2015). The mental health of visitors of web-based support forums for bereaved by suicide. *Crisis*, 36(1), 38-45. <http://dx.doi.org/10.1027/0227-5910/a000281>

- Krysinska, K., & Andriessen, K. (2010). On-line support and resources for people bereaved through suicide: What is available? *Suicide and Life-Threatening Behavior*, 40(6), 640-650. <http://dx.doi.org/10.1521/suli.2010.40.6.640>
- Krysinska, K., Andriessen, K., & Corveleyn, J. (2014). Religion and spirituality in online suicide bereavement: An analysis of online memorials. *Crisis*, 35(5), 349-356. <http://dx.doi.org/10.1027/0227-5910/a000270>
- Kuramoto, S. J., Runeson, B., Stuart, E. A., Lichtenstein, P., & Wilcox, H. C. (2013). Time to hospitalization for suicide attempt by the timing of parental suicide during offspring early development. *JAMA Psychiatry*, 70(2), 149-157. <http://dx.doi.org/10.1001/jamapsychiatry.2013.274>
- Kuramoto, S. J., Stuart, E. A., Runeson, B., Lichtenstein, P., Langstrom, N., & Wilcox, H. C. (2010). Maternal or paternal suicide and offspring's psychiatric and suicide-attempt hospitalization risk. *Pediatrics*, 126(5), e1026-1032. <http://dx.doi.org/10.1542/peds.2010-0974>
- Laederach, J., Fischer, W., Bowen, P., & Ladame, F. (1999). Common risk factors in adolescent suicide attempters revisited. *Crisis*, 20(1), 15-22.
- Lee, M. A., Kim, S., & Shim, E. J. (2013). Exposure to suicide and suicidality in Korea: Differential effects across men and women? *International Journal of Social Psychiatry*, 59(3), 224-231. <http://dx.doi.org/10.1177/0020764012441296>
- Leenaars, A., & Thomyangkoon, P. (2008). Impact of death by suicide of patients on Thai psychiatrists. *Suicide and life-Threatening Behavior*, 38(6), 728-40.
- Lerner, U., Brooks, K., McNeil, D. E., Cramer, R. J., & Haller, E. (2012). Coping with a patient's suicide: A curriculum for psychiatry residency training programs. *Academic Psychiatry*, 36(1), 29-33.
- Lester, D. (1989). Experience of parental loss and later suicide: Data from published biographies. *Acta Psychiatrica Scandinavica*, 79(5), 450-452.
- Lester, D. (1990). Attitudes toward the survivors of suicide as a function of the motive for suicide. *Omega*, 23(1), 215-218.
- Lester, D. (2012). Bereavement after suicide: A study of memorials on the internet. *Omega*, 65(3), 189-194.
- Levi-Belz, Y. (2014). Stress-related growth among suicide survivors: The role of interpersonal and cognitive factors. *Archives of Suicide Research*, 19(3), 305-320. <http://dx.doi.org/10.1080/13811118.2014.957452>
- Li, J., Precht, D. H., Mortensen, P. B., & Olsen, J. (2003). Mortality in parents after death of a child in Denmark: A nationwide follow-up study. *Lancet*, 361(9355), 363-367. [http://dx.doi.org/10.1016/s0140-6736\(03\)12387-2](http://dx.doi.org/10.1016/s0140-6736(03)12387-2)
- Li, J., Vestergaard, M., Cnattingius, S., Gissler, M., Bech, B. H., Obel, C., & Olsen, J. (2014). Mortality after parental death in childhood: A nationwide cohort study from three Nordic countries. *PLOS Medicine*, 11(7). <http://dx.doi.org/10.1371/journal.pmed.1001679>
- Li, N., & Zhang, J. (2010). Influencing factors for depression among Chinese suicide survivors. *Psychiatry Research*, 178(1), 97-100. <http://dx.doi.org/10.1016/j.psychres.2009.01.021>
- Lichtenthal, W. G., Neimeyer, R. A., Currier, J. M., Roberts, K., & Jordan, N. (2013). Cause of death and the quest for meaning after the loss of a child. *Death Studies*, 37(4), 311-342. <http://dx.doi.org/10.1080/07481187.2012.673533>

- Lindqvist, P., Johansson, L., & Karlsson, U. (2008). In the aftermath of teenage suicide: A qualitative study of the psychosocial consequences for the surviving family members. *BMC Psychiatry*, 8, 26.
- Ljung, T., Sandin, S., Långström, N., Runeson, B., Lichtenstein, P., & Larsson, H. (2014). Offspring death and subsequent psychiatric morbidity in bereaved parents: Addressing mechanisms in a total population cohort. *Psychological Medicine*, 44(9), 1879-1887. <http://dx.doi.org/10.1017/S0033291713002572>
- Lohan, J. A., & Murphy, S. A. (2002). Family functioning and family typology after an adolescent or young adult's sudden violent death. *Journal of Family Nursing*, 8(1), 32-49.
- Lohan, J. A., & Murphy, S. A. (2005). Mental distress and family functioning among married parents bereaved by a child's sudden death. *Omega*, 52(4), 295-305.
- Lu, T. H., Chang, W. T., Lin, J. J., & Li, C. Y. (2011). Suicide method runs in families: A birth certificate cohort study of adolescent suicide in Taiwan. *Suicide and Life-Threatening Behavior*, 41(6), 685-690. <http://dx.doi.org/10.1111/j.1943-278X.2011.00064.x>
- Mabuza, L. H., Ogunbanjo, G. A., & Malete, N. H. (2006). How the families of the victims of suicide through self-incineration function before and after the event—a qualitative assessment. *South African Family Practice*, 48(4), 16-16d. <http://dx.doi.org/10.1080/20786204.2006.10873368>
- Mackelprang, J. L., Karle, J., Reihl, K. M., & Cash, R. E. (2014). Suicide intervention skills: Graduate training and exposure to suicide among psychology trainees. *Training and Education in Professional Psychology*, 8(2), 136-142. <http://dx.doi.org/10.1037/tep0000050>
- Macy, R. D., Behar, L., Paulson, R., Delman, J., Schmid, L., & Smith, S. F. (2004). Community-based, acute posttraumatic stress management: A description and evaluation of a psychosocial-intervention continuum. *Harvard Review of Psychiatry*, 12(4), 217-228. <http://dx.doi.org/10.1080/10673220490509589>
- Mak, M. H. J. (2011). Youth suicide: Knowledge and attitudes from secondary students' perspectives--a Hong Kong based study. *Illness, Crisis & Loss*, 19(1), 41-56. <http://dx.doi.org/10.2190/IL.19.1.d>
- Mann, J. J., Bortinger, J., Oquendo, M. A., Currier, D., Li, S., & Brent, D. A. (2005). Family history of suicidal behavior and mood disorders in probands with mood disorders. *American Journal of Psychiatry*, 162(9), 1672-1679. <http://dx.doi.org/10.1176/appi.ajp.162.9.1672>
- Maple, M., Edwards, H., Plummer, D., & Minichiello, V. (2010). Silenced voices: Hearing the stories of parents bereaved through the suicide death of a young adult child. *Health & Social Care in the Community*, 18(3), 241-248. <http://dx.doi.org/10.1111/j.1365-2524.2009.00886.x>
- Maple, M., Edwards, H. E., Minichiello, V., & Plummer, D. (2012). Still part of the family: The importance of physical, emotional and spiritual memorial places and spaces for parents bereaved through the suicide death of their son or daughter. *Mortality*, 18(1), 54-71. <http://dx.doi.org/10.1080/13576275.2012.755158>
- Marzano, L., Hawton, K., Rivlin, A., & Fazel, S. (2011). Psychosocial influences on prisoner suicide: A case-control study of near-lethal self-harm in women prisoners. *Social Science & Medicine*, 72(6), 874-883. <http://dx.doi.org/10.1016/j.socscimed.2010.12.028>
- Matthieu, M. M., Gardiner, G., Ziegemeier, E., Buxton, M., Han, L., & Cross, W. (2014). Personal and professional knowledge of and experience with suicide and suicide

- prevention among stakeholders in clinical and community practice. *Social Work in Mental Health, 12*(5/6), 443-456. <http://dx.doi.org/10.1080/15332985.2014.884517>
- McClatchey, I. S., & Wimmer, J. S. (2014). Coping with parental death as seen from the perspective of children who attended a grief camp. *Qualitative Social Work, 13*(2), 221-236. <http://dx.doi.org/10.1177/1473325012465104>
- McIntosh, J., & Kelly, L. D. (1992). Survivors' reactions: Suicide vs. other causes. *Crisis, 13*(2), 82-93.
- McIntosh, J. L., & Wroblewski, A. (1988). Grief reactions among suicide survivors: An exploratory comparison of relationships. *Death studies, 12*(1), 21-39. <http://dx.doi.org/10.1080/07481188808252217>
- McKinnon, J. M., & Chonody, J. (2014). Exploring the formal supports used by people bereaved through suicide: A qualitative study. *Social Work in Mental Health, 12*(3), 231-248. <http://dx.doi.org/10.1080/15332985.2014.889637>
- McMahon, E. M., Corcoran, P., Keeley, H., Perry, I. J., & Arensman, E. (2013). Adolescents exposed to suicidal behavior of others: Prevalence of self-harm and associated psychological, lifestyle, and life event factors. *Suicide and Life-Threatening Behavior, 43*(6), 634-645. <http://dx.doi.org/10.1111/sltb.12045>
- McMenamy, J., Jordan, J. R., & Mitchell, A. M. (2008). What do suicide survivors tell us they need? Results of a pilot study. *Suicide and Life-Threatening Behavior, 38*(4), 375-389.
- McNally, R. J., & Parker, H. A. (2008). Repressive coping, emotional adjustment, and cognition in people who have lost loved ones to suicide. *Suicide and Life-Threatening Behavior, 38*(6), 676-87.
- McNiel, D. E., Hatcher, C., & Reubin, R. (1988). Family survivors of suicide and accidental death: Consequences for widows. *Suicide and Life-Threatening Behavior, 18*(2), 137-148.
- Medina, C. O., Jegannathan, B., Dahlblom, K., & Kullgren, G. (2012). Suicidal expressions among young people in Nicaragua and Cambodia: A cross-cultural study. *BMC Psychiatry, 12*, 28. <http://dx.doi.org/10.1186/1471-244x-12-28>
- Melhem, N. M., Day, N., Shear, M. K., Day, R., Reynolds III, C. F., & Brent, D. (2004). Predictors of complicated grief among adolescents exposed to a peer's suicide. *Journal of Loss and Trauma, 9*(1), 21-34.
- Melhem, N. M., Day, N., Shear, M. K., Day, R., Reynolds III, C. F., & Brent, D. (2004). Traumatic grief among adolescents exposed to a peer's suicide. *American Journal of Psychiatry, 161*(8), 1411-1416.
- Melhem, N. M., Moritz, G., Walker, M., Shear, M. K., & Brent, D. (2007). Phenomenology and correlates of complicated grief in children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry, 46*(4), 493-499. <http://dx.doi.org/10.1097/chi.0b013e31803062a9>
- Melhem, N. M., Porta, G., Shamseddeen, W., Payne, M. W., & Brent, D. A. (2011). Grief in children and adolescents bereaved by sudden parental death. *Archives of General Psychiatry, 68*(9), 911-919.
- Melhem, N. M., Walker, M., Moritz, G., & Brent, D. A. (2008). Antecedents and sequelae of sudden parental death in offspring and surviving caregivers. *Archives of Pediatrics & Adolescent Medicine, 162*(5), 403-410.
- Melton, B. B., & Coverdale, J. H. (2009). What do we teach psychiatric residents about suicide? A National survey of chief residents. *Academic Psychiatry, 33*(1), 47-50.

- Mercy, J. A., Marcie-jo, K., O'Carroll, P. W., Lee, R. K., Powell, K. E., Potter, L. B., . . . Bayer, T. L. (2001). Is suicide contagious? A study of the relation between exposure to the suicidal behavior of others and nearly lethal suicide attempts. *American Journal of Epidemiology*, 154(2), 120.
- Midence, K., Gregory, S., & Stanley, R. (1996). The effects of patient suicide on nursing staff. *Journal of Clinical Nursing*, 5(2), 115-120. <http://dx.doi.org/10.1111/j.1365-2702.1996.tb00236.x>
- Miers, D., Abbott, D., & Springer, P. R. (2012). A phenomenological study of family needs following the suicide of a teenager. *Death Studies*, 36(2), 118-133. <http://dx.doi.org/10.1080/07481187.2011.553341>
- Miles, M. S., & Demi, A. S. (1992). A comparison of guilt in bereaved parents whose children died by suicide, accident, or chronic disease. *Omega*, 24(3), 203-215. <http://dx.doi.org/10.2190/G41E-RKTF-P0XD-LJLK>
- Minamizono, S., Motohashi, Y., Yamaji, M., & Kaneko, Y. (2008). Attitudes towards those bereaved by a suicide: A population-based, cross-sectional study in rural Japan. *BMC public health [electronic resource]*, 8, 334.
- Mitchell, A. M., Crane, P. A., & Kim, Y. (2008). Perceived stress in survivors of suicide: Psychometric properties of the Perceived Stress Scale. *Research in Nursing & Health*, 31(6), 576-585.
- Mitchell, A. M., Gale, D. D., Garand, L., & Wesner, S. (2003). The use of narrative data to inform the psychotherapeutic group process with suicide survivors. *Issues in Mental Health Nursing*, 24(1), 91-106.
- Mitchell, A. M., Kim, Y., Prigerson, H. G., & Mortimer, M. K. (2005). Complicated grief and suicidal ideation in adult survivors of suicide. *Suicide and Life-Threatening Behavior*, 35(5), 498-506.
- Mitchell, A. M., Kim, Y., Prigerson, H. G., & Mortimer-Stephens, M. (2004). Complicated grief in survivors of suicide. *Crisis*, 25(1), 12-18. <http://dx.doi.org/10.1027/0227-5910.25.1.12>
- Mitchell, A. M., Sakraida, T. J., Kim, Y., Bullian, L., & Chiappetta, L. (2009). Depression, anxiety and quality of life in suicide survivors: A comparison of close and distant relationships. *Archives of Psychiatric Nursing*, 23(1), 2-10. <http://dx.doi.org/10.1016/j.apnu.2008.02.007>
- Mitchell, A. M., Wesner, S., Garand, L., Havill, A., Gale, D. D., & Brownson, L. (2007). A support group intervention for children bereaved by parental suicide. *Journal of Child and Adolescent Psychiatric Nursing*, 20(1), 3-13.
- Mitchell, L. M., Stephenson, P. H., Cadell, S., & Macdonald, M. E. (2012). Death and grief online: Virtual memorialization and changing concepts of childhood death and parental bereavement on the Internet. *Health Sociology Review*, 21(4), 413-431.
- Mittendorfer-Rutz, E., Rasmussen, F., & Lange, T. (2012). A life-course study on effects of parental markers of morbidity and mortality on offspring's suicide attempt. *PLoS ONE*, 7(12), e51585. <http://dx.doi.org/10.1371/journal.pone.0051585>
- Mittendorfer-Rutz, E., Rasmussen, F., & Wasserman, D. (2008). Familial clustering of suicidal behaviour and psychopathology in young suicide attempters. *Social Psychiatry and Psychiatric Epidemiology*, 43(1), 28-36. <http://dx.doi.org/10.1007/s00127-007-0266-0>
- Miyabayashi, S., & Yasuda, J. (2007). Effects of loss from suicide, accidents, acute illness and chronic illness on bereaved spouses and parents in Japan: Their general health, depressive

- mood, and grief reaction. *Psychiatry and Clinical Neurosciences*, 61(5), 502-508.  
<http://dx.doi.org/10.1111/j.1440-1819.2007.01699.x>
- Mohatt, N. V., Singer, J. B., Evans, A. C., Matlin, S. L., Golden, J., Harris, C., . . . Tebes, J. K. (2013). A community's response to suicide through public art: Stakeholder perspectives from the finding the light within project. *American Journal of Community Psychology*, 52(1-2), 197-209. <http://dx.doi.org/10.1007/s10464-013-9581-7>
- Moore, M., Maple, M., Mitchell, A. M., & Cerel, J. (2013). Challenges and opportunities for suicide bereavement research: The experience of ethical board review. *Crisis*, 34(5), 297-304. <http://dx.doi.org/10.1027/0227-5910/a000191>
- Mottram, K., & Vandecreek, L. (2009). The religious life during suicide bereavement: A description. *Death Studies*, 33(8), 741-61.
- Muniz-Cohen, M., Melhem, N. M., & Brent, D. A. (2010). Health risk behaviors in parentally bereaved youth. *Archives of Pediatrics & Adolescent Medicine*, 164(7), 621-624.  
<http://dx.doi.org/10.1001/archpediatrics.2010.101>
- Murphy, S. A. (1997). A bereavement intervention for parents following the sudden, violent deaths of their 12-28-year-old children: Description and applications to clinical practice. *Canadian Journal of Nursing Research*, 29(4), 51-72.
- Murphy, S. A., Baugher, R., & Lohan, J. (1996). Parents' evaluation of a preventive intervention following the sudden, violent deaths of their children. *Death Studies*, 20(5), 453-468.  
<http://dx.doi.org/10.1080/07481189608252754>
- Murphy, S. A., Braun, T., Tillery, L., Cain, K. C., Johnson, L. C., & Beaton, R. D. (1999). PTSD among bereaved parents following the violent deaths of their 12- to 28-year-old children: A longitudinal prospective analysis. *Journal of Traumatic Stress*, 12(2), 273-291.  
<http://dx.doi.org/10.1023/a:1024724425597>
- Murphy, S. A., Johnson, C., & Lohan, J. (2003). The effectiveness of coping resources and strategies used by bereaved parents 1 and 5 years after the violent deaths of their children. *Omega*, 47(1), 25-44.
- Murphy, S. A., Johnson, L. C., Chung, I. J., & Beaton, R. D. (2003). The prevalence of PTSD following the violent death of a child and predictors of change 5 years later. *Journal of Traumatic Stress*, 16(1), 17-25. <http://dx.doi.org/10.1023/a:1022003126168>
- Murphy, S. A., Johnson, L. C., & Lohan, J. (2003). Challenging the myths about parents' adjustment after the sudden, violent death of a child. *Journal of Nursing Scholarship*, 35(4), 359-364. <http://dx.doi.org/10.1111/j.1547-5069.2003.00359.x>
- Murphy, S. A., Johnson, L. C., & Lohan, J. (2003). Finding meaning in a child's violent death: A five-year prospective analysis of parents' personal narratives and empirical data. *Death Studies*, 27(5), 381-404.
- Murphy, S. A., Johnson, L. C., Lohan, J., & Tapper, V. J. (2002). Bereaved parents' use of individual, family, and community resources 4 to 60 months after a child's violent death. *Family & Community Health*, 25(1), 71-82.
- Murphy, S. A., Tapper, V. J., Johnson, L. C., & Lohan, J. (2003). Suicide ideation among parents bereaved by the violent deaths of their children. *Issues in Mental Health Nursing*, 24(1), 5-25.
- Nader, I. W., Niederkrotenthaler, T., Schild, A. H., Koller, I., Tran, U. S., Kapusta, N. D., . . . Voracek, M. (2013). Development of a scale to assess knowledge about suicide postvention using item response theory. *Suicide and Life-Threatening Behavior*, 43(2), 174-184. <http://dx.doi.org/10.1111/sltb.12006>

- Nanayakkara, S., Misch, D., Chang, L., & Henry, D. (2013). Depression and exposure to suicide predict suicide attempt. *Depression and Anxiety*, 30(10), 991-996.  
<http://dx.doi.org/10.1002/da.22143>
- Nelson, B. J., & Frantz, T. T. (1996). Family interactions of suicide survivors and survivors of non-suicidal death. *Omega*, 33(2), 131-146.
- Niederkrotenthaler, T., Floderus, B., Alexanderson, K., Rasmussen, F., & Mittendorfer-Rutz, E. (2012). Exposure to parental mortality and markers of morbidity, and the risks of attempted and completed suicide in offspring: An analysis of sensitive life periods. *Journal of Epidemiology & Community Health*, 66(3), 233-239.  
<http://dx.doi.org/10.1136/jech.2010.109595>
- Niederkrotenthaler, T., Till, B., Kapusta, N. D., Voracek, M., Dervic, K., & Sonneck, G. (2009). Copycat effects after media reports on suicide: A population-based ecologic study. *Social Science & Medicine*, 69(7), 1085-1090.  
<http://dx.doi.org/10.1016/j.socscimed.2009.07.041>
- Nierenberg, A. A., Alpert, J. E., Gaynes, B. N., Warden, D., Wisniewski, S. R., Biggs, M. M., . . . Rush, A. J. (2008). Family history of completed suicide and characteristics of major depressive disorder: A STAR\*D (sequenced treatment alternatives to relieve depression) study. *Journal of Affective Disorders*, 108(1-2), 129-134.  
<http://dx.doi.org/10.1016/j.jad.2007.10.011>
- Niss, N. M., & Range, L. M. (1990). Long-term bereavement from suicide, homicide, accidents, and natural deaths. *Death Studies*, 14(5), 423-433.
- Obando Medina, C. M., Herrera, A., & Kullgren, G. (2011). Suicidal expression in adolescents in Nicaragua in relation to youth self-report (ysr) syndromes and exposure to suicide. *Clinical Practice and Epidemiology in Mental Health*, 7, 89-96.  
<http://dx.doi.org/10.2174/1745017901107010089>
- Ogata, K., Ishikawa, T., Michiue, T., Nishi, Y., & Maeda, H. (2011). Posttraumatic symptoms in Japanese bereaved family members with special regard to suicide and homicide cases. *Death Studies*, 35(6), 525-535. <http://dx.doi.org/10.1080/07481187.2011.553327>
- Omerov, P., Steineck, G., Dyregrov, K., Runeson, B., & Nyberg, U. (2014). The ethics of doing nothing. Suicide-bereavement and research: Ethical and methodological considerations. *Psychological Medicine*, 44(16), 3409-3420.  
<http://dx.doi.org/10.1017/S0033291713001670>
- Omerov, P., Steineck, G., Nyberg, T., Runeson, B., & Nyberg, U. (2014). Viewing the body after bereavement due to suicide: A population-based survey in Sweden. *PLoS ONE*, 9(7).  
<https://doi.org/10.1371/journal.pone.0101799>
- Omerov, P., Steineck, G., Runeson, B., Christensson, A., Kreicbergs, U., Pettersen, R., . . . Nyberg, U. (2013). Preparatory studies to a population-based survey of suicide-bereaved parents in Sweden. *Crisis*, 34(3), 200-210. <http://dx.doi.org/10.1027/0227-5910/a000175>
- Oulanova, O. (2014). From suicide survivor to peer counselor: Breaking the silence of suicide bereavement. *Omega*, 69(2), 151-168.
- Owens, C., Lambert, H., Lloyd, K., & Donovan, J. (2008). Tales of biographical disintegration: How parents make sense of their sons' suicides. *Sociology of Health & Illness*, 30(2), 237-254.
- Papadimitriou, G. N., Linkowski, P., Delarbre, C., & Mendlewicz, J. (1991). Suicide on the paternal and maternal sides of depressed patients with a lifetime history of attempted suicide. *Acta Psychiatrica Scandinavica*, 83(6), 417-419.

- Payton, J. B., & Krock-Tuskan, M. (1988). Children's reactions to loss of parent through violence. *Journal of the American Academy of Child & Adolescent Psychiatry*, 27(5), 563-566. <http://dx.doi.org/10.1097/00004583-198809000-00008>
- Petersen, L., Sørensen, T. I. A., Andersen, P. K., Mortensen, P. B., & Hawton, K. (2013). Genetic and familial environmental effects on suicide – An adoption study of siblings. *PLoS ONE*, 8(10), 1-1. <http://dx.doi.org/10.1371/journal.pone.0077973>
- Peterson, E. M., Luoma, J. B., & Dunne, E. (2002). Suicide survivors' perceptions of the treating clinician. *Suicide and Life-Threatening Behavior*, 32(2), 158-175.
- Pettersen, R., Omerov, P., Steineck, G., Dyregrov, A., Titelman, D., Dyregrov, K., & Nyberg, U. (2014). Suicide-bereaved siblings' perception of health services. *Death Studies*, 39(6), 323-331. <http://dx.doi.org/10.1080/07481187.2014.946624>
- Pfeffer, C. R., Karus, D., Siegel, K., & Jiang, H. (2000). Child survivors of parental death from cancer or suicide: Depressive and behavioral outcomes. *Psycho-Oncology*, 9(1), 1-10.
- Phillips, M. R., Yang, G., Zhang, Y., Wang, L., Ji, H., & Zhou, M. (2002). Risk factors for suicide in China: A national case-control psychological autopsy study. *Lancet*, 360(9347), 1728-1736. [http://dx.doi.org/10.1016/S0140-6736\(02\)11681-3](http://dx.doi.org/10.1016/S0140-6736(02)11681-3)
- Pieters, G., De Gucht, V., Joos, G., & De Heyn, E. (2003). Frequency and impact of patient suicide on psychiatric trainees. *European Psychiatry*, 18(7), 345-349.
- Pietila, M. (2002). Support groups: A psychological or social device for suicide bereavement? *British Journal of Guidance & Counselling*, 30(4), 401-414.
- Pirelli, G., & Jeglic, E. L. (2009). The influence of death exposure on suicidal thoughts and behaviors. *Archives of Suicide Research*, 13(2), 136-146. <http://dx.doi.org/10.1080/13811110902835064>
- Pitman, A. L., Osborn, D., & King, M. (2013). The effect of suicide bereavement on suicidal behaviour: A national cross-sectional survey of young adults in the UK. *Lancet*, 382(S3). [http://dx.doi.org/10.1016/S0140-6736\(13\)62506-4](http://dx.doi.org/10.1016/S0140-6736(13)62506-4)
- Poijula, S., Dyregrov, A., Wahlberg, K. E., & Jokelainen, J. (2001). Reactions to adolescent suicide and crisis intervention in three secondary schools. *International Journal of Emergency Mental Health*, 3(2), 97-106.
- Poijula, S., Wahlberg, K. E., & Dyregrov, A. (2001). Adolescent suicide and suicide contagion in three secondary schools. *International Journal of Emergency Mental Health*, 3(3), 163-168.
- Pouliot, L., Mishara, B. L., & Labelle, R. (2011). The Werther effect reconsidered in light of psychological vulnerabilities: Results of a pilot study. *Journal of Affective Disorders*, 134(1-3), 488-496. <http://dx.doi.org/10.1016/j.jad.2011.04.050>
- Powell, K. A., & Matthys, A. (2013). Effects of suicide on siblings: Uncertainty and the grief process. *Journal of Family Communication*, 13(4), 321-339. <http://dx.doi.org/10.1080/15267431.2013.823431>
- Prigerson, H. G., Bridge, J., Maciejewski, P. K., Beery, L. C., Rosenheck, R. A., Jacobs, S. C., . . . Brent, D. A. (1999). Influence of traumatic grief on suicidal ideation among young adults. *American Journal of Psychiatry*, 156(12), 1994-1995.
- Provini, C., & Everett, J. R. (2000). Adults mourning suicide: Self-reported concerns about bereavement, needs for assistance, and help-seeking behavior. *Death Studies*, 24(1), 1-19.
- Qin, P., Agerbo, E., & Mortensen, P. B. (2002). Suicide risk in relation to family history of completed suicide and psychiatric disorders: A nested case-control study based on

- longitudinal registers. *Lancet*, 360(9340), 1126-1130. [http://dx.doi.org/10.1016/S0140-6736\(02\)11197-4](http://dx.doi.org/10.1016/S0140-6736(02)11197-4)
- Qin, P., Agerbo, E., & Mortensen, P. B. (2003). Suicide risk in relation to socioeconomic, demographic, psychiatric, and familial factors: A national register-based study of all suicides in Denmark, 1981-1997. *American Journal of Psychiatry*, 160(4), 765-772.
- Qin, P., & Mortensen, P. B. (2003). The impact of parental status on the risk of completed suicide. *Archives of General Psychiatry*, 60(8), 797-802.  
<http://dx.doi.org/10.1001/archpsyc.60.8.797>
- Rajalin, M., Hirvikoski, T., & Jokinen, J. (2013). Family history of suicide and exposure to interpersonal violence in childhood predict suicide in male suicide attempters. *Journal of Affective Disorders*, 148(1), 92-97. <http://dx.doi.org/10.1016/j.jad.2012.11.055>
- Randell, B. P., Wen-Ling, W., Herting, J. R., & Eggert, L. L. (2006). Family factors predicting categories of suicide risk. *Journal of Child and Family Studies*, 15(3), 247-262.  
<http://dx.doi.org/10.1007/s10826-006-9020-6>
- Range, L. M., & Calhoun, L. G. (1990). Responses following suicide and other types of death: The perspective of the bereaved. *Omega*, 21(4), 311-320.  
<http://dx.doi.org/10.2190/LLE5-7QNT-7M59-GURY>
- Range, L. M., McDonald, D., & Anderson, H. (1987). Factor structure of Calhoun's youth suicide scale. *Journal of Personality Assessment*, 51(2), 262.
- Range, L. M., & Thompson, K. E. (1987). Community responses following suicide, homicide, and other deaths: The perspective of potential comforters. *The Journal of Psychology*, 121(2), 193-198. <http://dx.doi.org/10.1080/00223980.1987.9712657>
- Ratnarajah, D., Maple, M., & Minichiello, V. (2014). Understanding family member suicide narratives by investigating family history. *Omega*, 69(1), 41.
- Ratnarajah, D., & Schofield, M. J. (2008). Survivors' narratives of the impact of parental suicide. *Suicide and Life-Threatening Behavior*, 38(5), 618-630.
- Reed, M. D. (1993). Sudden death and bereavement outcomes: The impact of resources on grief symptomatology and detachment. *Suicide and Life-Threatening Behavior*, 23(3), 204-220.
- Reed, M. D. (1998). Predicting grief symptomatology among the suddenly bereaved. *Suicide and Life-Threatening Behavior*, 28(3), 285-301.
- Reed, M. D., & Greenwald, J. Y. (1991). Survivor-victim status, attachment, and sudden death bereavement. *Suicide and Life-Threatening Behavior*, 21(4), 385-401.
- Reynolds, J., & Jennings, G. (1997). Patients' reactions to the suicide of a psychotherapist. *Suicide and Life-Threatening Behavior*, 27(2), 176.
- Rostila, M., Saarela, J., & Kawachi, I. (2013). "The psychological skeleton in the closet": Mortality after a sibling's suicide. *Social Psychiatry and Psychiatric Epidemiology*, 49(6), 919-927. <http://dx.doi.org/10.1007/s00127-013-0780-1>
- Rostila, M., Saarela, J., & Kawachi, I. (2013). Suicide following the death of a sibling: A nationwide follow-up study from Sweden. *BMJ open*, 3(4).  
<http://dx.doi.org/10.1136/bmjopen-2013-002618>
- Rowling, L., & Holland, J. (2000). Grief and school communities: The impact of social context, a comparison between Australia and. *Death Studies*, 24(1), 35-35.
- Roy, A. (1983). Family history of suicide. *Archives of General Psychiatry*, 40(9), 971-974.
- Roy, A. (2000). Relation of family history of suicide to suicide attempts in alcoholics. *American Journal of Psychiatry*, 157(12), 2050-2051.

- Roy, A. (2011). Combination of family history of suicidal behavior and childhood trauma may represent correlate of increased suicide risk. *Journal of Affective Disorders*, 130(1-2), 205-208. <http://dx.doi.org/10.1016/j.jad.2010.09.022>
- Roy, A., & Janal, M. (2005). Family history of suicide, female sex, and childhood trauma: Separate or interacting risk factors for attempts at suicide? *Acta Psychiatrica Scandinavica*, 112(5), 367-371.
- Roy, A., Segal, N. L., Centerwall, B. S., & Robinette, C. D. (1991). Suicide in twins. *Archives of General Psychiatry*, 48(1), 29-32.
- Roy, A., Segal, N. L., & Sarchiapone, M. (1995). Attempted suicide among living co-twins of twin suicide victims. *American Journal of Psychiatry*, 152(7), 1075-1076.
- Rubenowitz, E., Waern, M., Wilhelmsson, K., & Allebeck, P. (2001). Life events and psychosocial factors in elderly suicides - A case-control study. *Psychological Medicine*, 31(7), 1193-1202.
- Rubey, C. T., & McIntosh, J. L. (1996). Suicide survivors groups: Results of a survey. *Suicide and Life-Threatening Behavior*, 26(4), 351-358.
- Rudestam, K. E. (1977). Physical and psychological responses to suicide in the family. *Journal of Consulting and Clinical Psychology*, 45(2), 162-170.
- Rudestam, K. E., & Agnelli, P. (1987). The effect of the content of suicide notes on grief reactions. *Journal of Clinical Psychology*, 43(2), 211-218.
- Runeson, B., & Åsberg, M. (2003). Family history of suicide among suicide victims. *American Journal of Psychiatry*, 160(8), 1525-1526.
- Runeson, B., & Beskow, J. (1991). Reactions of survivors of suicide victims to interviews. *Acta Psychiatrica Scandinavica*, 83(3), 169-173.
- Ruskin, R., Sakinofsky, I., Bagby, R. M., Dickens, S., & Sousa, G. (2004). Impact of patient suicide on psychiatrists and psychiatric trainees. *Academic Psychiatry*, 28(2), 104-110. <http://dx.doi.org/10.1176/appi.ap.28.2.104>
- Ruth, B. J., Gianino, M., Muroff, J., McLaughlin, D., & Feldman, B. N. (2012). You can't recover from suicide: Perspectives on suicide education in MSW programs. *Journal of Social Work Education*, 48(3), 501-516.
- Ryan, M., Lister, R., & Flynn, L. (2013). Giving voice to those bereaved by suicide: The 'nothing prepared me for this' project. *Advances in Mental Health*, 11(3), 213-222. <http://dx.doi.org/10.5172/jamh.2013.11.3.213>
- Saarinen, P. I., Hintikka, J., Vnamaki, H., Lehtonen, J., & Lonnqvist, J. (2000). Is it possible to adapt to the suicide of a close individual? Results of a 10-year prospective follow-up study. *International Journal of Social Psychiatry*, 46(3), 182-190. <http://dx.doi.org/10.1177/002076400004600304>
- Saarinen, P. I., Viinämäki, H., Hintikka, J., Lehtonen, J., & Lönnqvist, J. (1999). Psychological symptoms of close relatives of suicide victims. . *The European Journal of Psychiatry*, 13(1), 33-39.
- Sand, E., Gordon, K. H., & Bresin, K. (2013). The impact of specifying suicide as the cause of death in an obituary. *Crisis*, 34(1), 63-66. <http://dx.doi.org/10.1027/0227-5910/a000154>
- Sandor, M. K., Walker, L. O., & Sands, D. (1994). Competence-building in adolescents, Part II: Community intervention for survivors of peer suicide. *Issues in Comprehensive Pediatric Nursing*, 17(4), 197-209.

- Sands, D. (2009). A Tripartite Model of Suicide Grief: Meaning-making and the relationship with the deceased. *Grief Matters: The Australian Journal of Grief and Bereavement*, 12(1), 10-17.
- Sands, D., & Tennant, M. (2010). Transformative learning in the context of suicide bereavement. *Adult Education Quarterly*, 60(2), 99-121.
- Santos, S., Campos, R. C., & Tavares, S. (2014). Suicidal ideation and distress in family members bereaved by suicide in Portugal. *Death Studies*, 39(6), 332-341.  
<http://dx.doi.org/10.1080/07481187.2014.946626>
- Santos, S., Tavares, S., & Campos, R. C. (2014). Distress in Portuguese family members bereaved by suicide: An exploratory study. *Journal of Loss and Trauma*, 20(3), 267-280.  
<http://dx.doi.org/10.1080/15325024.2014.934618>
- Saunders, J. M. (1981). A process of bereavement resolution: Uncoupled identity. *Western Journal of Nursing Research*, 3(4), 319-36.
- Schneider, B., Grebner, K., Schnabel, A., & Georgi, K. (2011). Do suicides' characteristics influence survivors' emotions? *Suicide and Life-Threatening Behavior*, 41(2), 117-125.  
<http://dx.doi.org/10.1111/j.1943-278X.2011.00024.x>
- Schneider, B., Grebner, K., Schnabel, A., & Georgi, K. (2011). Is the emotional response of survivors dependent on the consequences of the suicide and the support received? *Crisis*, 32(4), 186-193. <http://dx.doi.org/10.1027/0227-5910/a000081>
- Schotanus-Dijkstra, M., Havinga, P., van Ballegooijen, W., Delfosse, L., Mokkenstorm, J., & Boon, B. (2014). What do the bereaved by suicide communicate in online support groups? A content analysis. *Crisis*, 35(1), 27-35. <http://dx.doi.org/10.1027/0227-5910/a000225>
- Scocco, P., Castriotta, C., Toffol, E., & Preti, A. (2012). Stigma of Suicide Attempt (STOSA) scale and Stigma of Suicide and Suicide Survivor (STOSASS) scale: Two new assessment tools. *Psychiatry Research*, 200(2/3), 872-878.  
<http://dx.doi.org/10.1016/j.psychres.2012.06.033>
- Segal, N. L. (2009). Suicidal behaviors in surviving monozygotic and dizygotic co-twins: Is the nature of the co-twin's cause of death a factor? *Suicide and Life-Threatening Behavior*, 39(6), 569-575. <http://dx.doi.org/10.1521/suli.2009.39.6.569>
- Seguin, M., Lesage, A., & Kiely, M. C. (1995). Parental bereavement after suicide and accident: A comparative study. *Suicide and Life-Threatening Behavior*, 25(4), 489-492.
- Séguin, M., Lesage, A. D., & Kiely, M. (1995). History of early loss among a group of suicide survivors. *Crisis*, 16(3), 121-125.
- Sethi, S., & Bhargava, S. C. (2003). Child and adolescent survivors of suicide. *Crisis*, 24(1), 4-6.  
<http://dx.doi.org/10.1027//0227-5910.24.1.4>
- Sharpe, T. L., Joe, S., & Taylor, K. C. (2012). Suicide and homicide bereavement among African Americans: Implications for survivor research and practice. *Omega*, 66(2), 153-172.
- Shepherd, D. M., & Barraclough, B. M. (1976). The aftermath of parental suicide for children. *The British Journal of Psychiatry*, 129, 267-276.
- Shilubane, H. N., Ruiter, R. A. C., Bos, A. E. R., Reddy, P. S., & Borne, B. v. d. (2014). High school students' knowledge and experience with a peer who committed or attempted suicide: A focus group study. *BMC Public Health [electronic resource]*, 14(1081),
- Silvén Hagström, A. (2013). 'The stranger inside': Suicide-related grief and 'othering' among teenage daughters following the loss of a father to suicide. *Nordic Social Work Research*, 3(2), 185-193. <http://dx.doi.org/10.1080/2156857X.2013.801877>

- Silverman, E., Range, L., & Overholser, J. C. (1994). Bereavement from suicide as compared to other forms of bereavement. *Omega, 30*(1), 41.
- Simone, C. (2008). Parental suicide: The long-term impact on children and young people. *Bereavement Care, 27*(3), 43-46.
- Skehan, J., Maple, M., Fisher, J., & Sharrock, G. (2013). Suicide bereavement and the media: A qualitative study. *Advances in Mental Health, 11*(3), 223-237.  
<http://dx.doi.org/10.5172/jamh.2013.11.3.223>
- Smith, A., Joseph, S., & Das Nair, R. (2011). An interpretative phenomenological analysis of posttraumatic growth in adults bereaved by suicide. *Journal of Loss and Trauma, 16*(5), 413-430. <http://dx.doi.org/10.1080/15325024.2011.572047>
- Sorensen, H. J., Mortensen, E. L., Wang, A. G., Juel, K., Silverton, L., & Mednick, S. A. (2009). Suicide and mental illness in parents and risk of suicide in offspring: A birth cohort study. *Social Psychiatry and Psychiatric Epidemiology, 44*(9), 748-751.  
<http://dx.doi.org/10.1007/s00127-009-0495-5>
- Spence, N. D., Goldney, R. D., & Moffitt, P. F. (1984). Factorial structure of the aftermath of suicide instrument. *Journal of Clinical Psychology, 40*(6), 1426-1430.
- Spivak, R., Pagura, J., Bolton, J., Elias, B., Beesdo-Baum, K., Lieb, R., & Sareen, J. (2011). Childhood exposure to caregiver suicidal behavior and risk for adult suicide attempts: Findings from a national survey. *Archives of Suicide Research, 15*(313-326), 313-326.  
<http://dx.doi.org/10.1080/13811118.2011.615694>
- Sugrue, J. L., McGilloway, S., & Keegan, O. (2013). The experiences of mothers bereaved by suicide: An exploratory study. *Death Studies, 38*(2), 118-124.  
<http://dx.doi.org/10.1080/07481187.2012.738765>
- Supiano, K. P. (2012). Sense-making in suicide survivorship: A qualitative study of the effect of grief support group participation. *Journal of Loss and Trauma, 17*(6), 489-507.  
<http://dx.doi.org/10.1080/15325024.2012.665298>
- Swanson, S., & Colman, I. (2013). Association between exposure to suicide and suicidality outcomes in youth. *Canadian Medical Association Journal, 185*(10), 870-877.  
<http://dx.doi.org/10.1503/cmaj.121377>
- Takahashi, C., Chida, F., Nakamura, H., Akasaka, H., Yagi, J., Koeda, A., . . . Sakai, A. (2011). The impact of inpatient suicide on psychiatric nurses and their need for support. *BMC Psychiatry, 11*, 38. <http://dx.doi.org/10.1186/1471-244X-11-38>
- Tall, K., Kolves, K., Sisask, M., & Varnik, A. (2008). Do survivors respond differently when alcohol abuse complicates suicide? Findings from the psychological autopsy study in Estonia. *Drug and Alcohol Dependence, 95*(1-2), 129-133.  
<http://dx.doi.org/10.1016/j.drugalcdep.2007.12.015>
- Talseth, A. G., & Gilje, F. (2007). Unburdening suffering: Responses of psychiatrists to patients' suicide deaths. *Nursing Ethics, 14*(5), 620-636.  
<http://dx.doi.org/10.1177/0969733007080207>
- Terhorst, L., & Mitchell, A. M. (2012). Ways of coping in survivors of suicide. *Issues in Mental Health Nursing, 33*(1), 32-38. <http://dx.doi.org/10.3109/01612840.2011.618584>
- Thompson, J., & Brooks, S. (1990). When a colleague commits suicide: How the staff reacts. *Journal of Psychosocial Nursing & Mental Health Services, 28*(10), 6-11.
- Thompson, K. E., & Range, L. M. (1991). Recent bereavement from suicide and other deaths: Can people imagine it as it really is? *Omega: Journal of Death & Dying, 22*(4), 249-259.  
<http://dx.doi.org/10.2190/10BD-WFE4-YAD3-ARY3>

- Thompson, K. E., & Range, L. M. (1992). Bereavement following suicide and other deaths: Why support attempts fail. *Omega, 26*(1), 61-70.
- Thornton, G., Whittemore, K. D., & Robertson, D. U. (1989). Evaluation of people bereaved by suicide. *Death Studies, 13*(2), 119-126.
- Tidemalm, D., Runeson, B., Waern, M., Frisell, T., Carlstrom, E., Lichtenstein, P., & Langstrom, N. (2011). Familial clustering of suicide risk: A total population study of 11.4 million individuals. *Psychological Medicine, 41*(12), 2527-2534.  
<http://dx.doi.org/10.1017/s0033291711000833>
- Tillman, J. G. (2006). When a patient commits suicide: An empirical study of psychoanalytic clinicians. *The International Journal of Psycho-Analysis, 87*(Pt 1), 159-177.  
<http://dx.doi.org/10.1516/6ubb-e9de-8ucw-uv31>
- Ting, L., Jacobson, J. M., & Sanders, S. (2008). Available supports and coping behaviors of mental health social workers following fatal and nonfatal client suicidal behavior. *Social Work, 53*(3), 211-221. <http://dx.doi.org/10.1093/sw/53.3.211>
- Tingey, L., Cwik, M. F., Goklish, N., Larzelere-Hinton, F., Lee, A., Suttle, R., . . . Barlow, A. (2014). Risk pathways for suicide among Native American adolescents. *Qualitative Health Research, 24*(11), 1518-1526. <http://dx.doi.org/10.1177/1049732314548688>
- Tomori, M. (1999). Suicide risk in high school students in Slovenia. *Crisis, 20*(1), 23-27.
- Tremeau, F., Staner, L., Duval, F., Correa, H., Crocq, M. A., Darreye, A., . . . Macher, J. P. (2005). Suicide attempts and family history of suicide in three psychiatric populations. *Suicide and Life-Threatening Behavior, 35*(6), 702-713.
- Trimble, T., Hannigan, B., & Gaffney, M. (2012). Suicide postvention; coping, support and transformation. *The Irish Journal of Psychology, 33*(2-3), 115-121.  
<http://dx.doi.org/10.1080/03033910.2012.709171>
- Tsai, A., Moran, S., Shoemaker, R., & Bradley, J. (2012). Patient suicides in psychiatric residencies and post-vention responses: A national survey of psychiatry chief residents and program directors. *Academic Psychiatry, 36*(1), 34-38.  
<http://dx.doi.org/10.1176/appi.ap.09100186>
- Tzeng, W., Su, P., Chiang, H., Kuan, P., & Lee, J. (2010). The invisible family: A qualitative study of suicide survivors in Taiwan. *Western Journal of Nursing Research, 32*(2), 185-198. <http://dx.doi.org/10.1177/0193945909350630>
- Tzeng, W., Su, P., Tzeng, N., Yeh, C., Chen, T., & Chen, C. (2010). A moral life after a suicide death in Taiwan. *Qualitative Health Research, 20*(7), 999-1007.  
<http://dx.doi.org/10.1177/1049732310365503>
- Van Dongen, C. J. (1990). Agonizing questioning: Experiences of survivors of suicide victims. *Nursing Research, 39*(4), 224-229.
- Van Dongen, C. J. (1991). Experiences of family members after a suicide. *Journal of Family Practice, 33*(4), 375-80.
- Van Dongen, C. J. (1991). Survivors of a family member's suicide: Implications for practice. *Nurse Practitioner, 16*(7), 31-5, 39.
- VandeCreek, L., & Mottram, K. (2011). The perceived roles of god during suicide bereavement. *Journal of Psychology and Theology, 39*(2), 155-162.
- Varga, M. A., & Paulus, T. M. (2014). Grieving online: Newcomers' constructions of grief in an online support group. *Death Studies, 38*(7), 443-449.

- Ventrice, D., Valach, L., Reisch, T., & Michel, K. (2010). Suicide attempters' memory traces of exposure to suicidal behavior: A qualitative pilot study. *Crisis, 31*(2), 93-99.  
<http://dx.doi.org/10.1027/0227-5910/a000013>
- Visser, V. S., Comans, T. A., & Scuffham, P. A. (2014). Evaluation of the effectiveness of a community-based crisis intervention program for people bereaved by suicide. *Journal of Community Psychology, 42*(1), 19-28. <http://dx.doi.org/10.1002/jcop.21586>
- von Borczyskowski, A., Lindblad, F., Vinnerljung, B., Reintjes, R., & Hjern, A. (2011). Familial factors and suicide: An adoption study in a Swedish National Cohort. *Psychological Medicine, 41*(4), 749-758.  
<http://dx.doi.org/http://dx.doi.org/10.1017/S0033291710001315>
- Waern, M. (2005). Suicides among family members of elderly suicide victims: An exploratory study. *Suicide and Life-Threatening Behavior, 35*(3), 356-364.
- Wagner, B. M., Cole, R. E., & Schwartzman, P. (1995). Psychosocial correlates of suicide attempts among junior and senior high school youth. *Suicide and Life-Threatening Behavior, 25*(3), 358-372.
- Wagner, K. G., & Calhoun, L. G. (1992). Perceptions of social support by suicide survivors and their social networks. *Omega, 24*(1), 61-73.
- Ward-Ciesielski, E. F., Wielgus, M. D., & Jones, C. B. (2014). Suicide-bereaved individuals' attitudes toward therapists. *Crisis, 36*, 135-141. <http://dx.doi.org/10.1027/0227-5910/a000290>
- Weinberg, N. (1994). Self-blame, other blame, and desire for revenge: Factors in recovery from bereavement. *Death Studies, 18*(6), 583-593.
- Weinberg, R. J., Dietz, L. J., Stoyak, S., Melhem, N. M., Porta, G., Payne, M. W., & Brent, D. A. (2013). A prospective study of parentally bereaved youth, caregiver depression, and body mass index. *Journal of Clinical Psychology, 74*(8), 834-840.
- Wilcox, H. C., Kuramoto, S. J., Brent, D., & Runeson, B. (2012). The interaction of parental history of suicidal behavior and exposure to adoptive parents' psychiatric disorders on adoptee suicide attempt hospitalizations. *American Journal of Psychiatry, 169*(3), 309-315.
- Wilcox, H. C., Kuramoto, S. J., Lichtenstein, P., Langstrom, N., Brent, D. A., & Runeson, B. (2010). Psychiatric morbidity, violent crime, and suicide among children and adolescents exposed to parental death. *Journal of the American Academy of Child and Adolescent Psychiatry, 49*(5), 514-523; quiz 530.
- Wilcox, H. C., Mittendorfer-Rutz, E., Kjeldgard, L., Alexanderson, K., & Runeson, B. (2015). Functional impairment due to bereavement after the death of adolescent or young adult offspring in a national population study of 1,051,515 parents. *Social Psychiatry and Psychiatric Epidemiology, 50*(8), 1249-1256. <http://dx.doi.org/10.1007/s00127-014-0997-7>
- Wilson, A. (2010). Consumer participation: Ensuring suicide postvention research counts for end users. *International Journal of Nursing Practice, 16*(1), 7-13.  
<http://dx.doi.org/10.1111/j.1440-172X.2009.01811.x>
- Wilson, A., & Marshall, A. (2010). The support needs and experiences of suicidally bereaved family and friends. *Death Studies, 34*(7), 625-640.  
<http://dx.doi.org/10.1080/07481181003761567>

- Wilson, M. (2011). Exploring the efficacy of a bereavement support group for male category C prisoners. *Bereavement Care*, 30(3), 10-16.  
<http://dx.doi.org/10.1080/02682621.2011.578001>
- Wittouck, C., Van Autreve, S., Portzky, G., & van Heeringen, K. (2014). A CBT-based psychoeducational intervention for suicide survivors: A cluster randomized controlled study. *Crisis*, 35(3), 193-201. <http://dx.doi.org/10.1027/0227-5910/a000252>
- Wong, J. P., Stewart, S. M., Ho, S. Y., Rao, U., & Lam, T. H. (2005). Exposure to suicide and suicidal behaviors among Hong Kong adolescents. *Social Science & Medicine*, 61(3), 591-599. <http://dx.doi.org/10.1016/j.socscimed.2004.12.012>
- Wong, P. W., Chan, W. S., & Beh, P. S. (2007). What can we do to help and understand survivors of suicide in Hong Kong? *Crisis*, 28(4), 183-189.  
<http://dx.doi.org/10.1027/0227-5910.28.4.183>
- Wong, P. W., Chan, W. S., Beh, P. S., Yau, F. W., Yip, P. S., & Hawton, K. (2010). Research participation experiences of informants of suicide and control cases: Taken from a case-control psychological autopsy study of people who died by suicide. *Crisis*, 31(5), 238-246. <http://dx.doi.org/10.1027/0227-5910/a000025>
- Wood, L., Byram, V., Gosling, A. S., & Stokes, J. (2012). Continuing bonds after suicide bereavement in childhood. *Death Studies*, 36(10), 873-898.  
<http://dx.doi.org/10.1080/07481187.2011.584025>
- Wrenn, R. L. (1991). College management of student death: A survey. *Death Studies*, 15(4), 395-402.
- Wurst, F. M., Kunz, I., Skipper, G., Wolfersdorf, M., Beine, K. H., & Thon, N. (2011). The therapist's reaction to a patient's suicide: Results of a survey and implications for health care professionals' well-being. *Crisis*, 32(2), 99-105. <http://dx.doi.org/10.1027/0227-5910/a000062>
- Wurst, F. M., Kunz, I., Skipper, G., Wolfersdorf, M., Beine, K. H., Vogel, R., . . . Thon, N. (2013). How therapists react to patient's suicide: Findings and consequences for health care professionals' wellbeing. *General Hospital Psychiatry*, 35(5), 565-70.
- Wurst, F. M., Mueller, S., Petitjean, S., Euler, S., Thon, N., Wiesbeck, G., & Wolfersdorf, M. (2010). Patient suicide: A survey of therapists' reactions. *Suicide and Life-Threatening Behavior*, 40(4), 328-336. <http://dx.doi.org/10.1521/suli.2010.40.4.328>
- Xu, G., & Li, N. (2014). A comparison study on mental health status between suicide survivors and survivors of accidental deaths in rural China. *Journal of Psychiatric & Mental Health Nursing*, 21(10), 859-865. <http://dx.doi.org/10.1111/jpm.12147>
- Zhang, J., & Jia, C. (2009). Attitudes toward suicide: The effect of suicide death in the family. *Omega*, 60(4), 365-382. <http://dx.doi.org/10.2190/OM.60.4.d>
- Zhang, J., Tong, H. Q., & Zhou, L. (2005). The effect of bereavement due to suicide on survivors' depression: A study of Chinese samples. *Omega*, 51(3), 217-227.
- Zhang, J., & Zhou, L. (2011). Suicidal ideation, plans, and attempts among rural young Chinese: The effect of suicide death by a family member or friend. *Community Mental Health Journal*, 47(5), 506-512. <http://dx.doi.org/10.1007/s10597-010-9332-2>